

# Product datasheet for TL500371V

## Clcn4 Mouse shRNA Lentiviral Particle (Locus ID 12727)

#### **Product data:**

Product Type:	shRNA Lentiviral Particles
Product Name:	Clcn4 Mouse shRNA Lentiviral Particle (Locus ID 12727)
Locus ID:	12727
Synonyms:	clC-4; Clc4-2; Clcn4-2
Vector:	pGFP-C-shLenti (TR30023)
Format:	Lentiviral particles
Components:	Clcn4 - Mouse shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10^7 TU/ml.
RefSeq:	BC005553, BC110668, NM 001302386, NM 001302387, NM 011334, NR 126156, NR 126157, NM 011334.1, NM 011334.2, NM 011334.3, NM 011334.4, NM 001302386.1, NM 001302387.1, BC089497, NM 001357102, NM 001357103, NM 001357104, NM 001302387.2
UniProt ID:	<u>Q61418</u>
Summary:	Proton-coupled chloride transporter. Functions as antiport system and exchanges chloride ions against protons (By similarity).[UniProtKB/Swiss-Prot Function]
shRNA Design:	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> .

### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

#### Clcn4 Mouse shRNA Lentiviral Particle (Locus ID 12727) – TL500371V

Performance Guaranteed: OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US