

Product datasheet for **TL500399**

Col11a2 Mouse shRNA Plasmid (Locus ID 12815)

Product data:

| | |
|---------------------------|---|
| Product Type: | shRNA Plasmids |
| Product Name: | Col11a2 Mouse shRNA Plasmid (Locus ID 12815) |
| Locus ID: | 12815 |
| Vector: | pGFP-C-shLenti (TR30023) |
| E. coli Selection: | Chloramphenicol (34 ug/ml) |
| Mammalian Cell Selection: | Puromycin |
| Format: | Lentiviral plasmids |
| Components: | Col11a2 - Mouse, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 12815). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free. |
| RefSeq: | NM_009926 , NM_009926.1 , NM_009926.2 , BC140439 |
| UniProt ID: | Q64739 |
| Summary: | This gene encodes the alpha-2 subunit of type XI collagen, one of the low abundance fibrillar collagens found in cartilage. The encoded protein, in association with other collagen subunits, forms a heterotrimeric type XI procollagen that may undergo proteolytic processing similar to the alpha-1 subunit. Mice lacking the encoded protein exhibit a mild phenotype similar to nonocular Stickler syndrome, otospondylomegaepiphyseal dysplasia (OSMED) as well as a nonsyndromic form of deafness called DFNA13. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Dec 2015] |
| shRNA Design: | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact techsupport@origene.com . If you need a special design or shRNA sequence, please utilize our custom shRNA service . |



[View online »](#)

**Performance
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).