

Product datasheet for TL510473V

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Epha2 Mouse shRNA Lentiviral Particle (Locus ID 13836)

Product data:

Product Type: shRNA Lentiviral Particles

Product Name: Epha2 Mouse shRNA Lentiviral Particle (Locus ID 13836)

Locus ID: 13836

Synonyms: AW545284; Eck; Myk2; Sek-2; Sek2

Vector: pGFP-C-shLenti (TR30023)

Format: Lentiviral particles

Components: Epha2 - Mouse shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble

control), 0.5 ml each, >10^7 TU/ml.

RefSeq: NM 010139, NM 010139.1, NM 010139.2, NM 010139.3, BC140960, BC006954

UniProt ID: Q03145

Summary: Receptor tyrosine kinase which binds promiscuously membrane-bound ephrin-A family

ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as

forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. Activated by the ligand ephrin-A1/EFNA1 regulates migration, integrinmediated adhesion, proliferation and differentiation of cells (PubMed:29749928). Regulates

cell adhesion and differentiation through DSG1/desmoglein-1 and inhibition of the

ERK1/ERK2 signaling pathway. May also participate in UV radiation-induced apoptosis and

have a ligand-independent stimulatory effect on chemotactic cell migration. During

development, may function in distinctive aspects of pattern formation and subsequently in development of several fetal tissues. Involved for instance in angiogenesis, in early hindbrain development and epithelial proliferation and branching morphogenesis during mammary gland development. Engaged by the ligand ephrin-A5/EFNA5 may regulate lens fiber cells

shape and interactions and be important for lens transparency development and

of osteoclastogenesis and osteoblastogenesis.[UniProtKB/Swiss-Prot Function]

maintenance. With ephrin-A2/EFNA2 may play a role in bone remodeling through regulation

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u>.







Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).