

## Product datasheet for **TL513964**

### **P3h2 Mouse shRNA Plasmid (Locus ID 210530)**

#### **Product data:**

<b>Product Type:</b>	shRNA Plasmids
<b>Product Name:</b>	P3h2 Mouse shRNA Plasmid (Locus ID 210530)
<b>Locus ID:</b>	210530
<b>Synonyms:</b>	4832416N06; AW553532; Leprel1; Mlat4
<b>Vector:</b>	pGFP-C-shLenti (TR30023)
<b>E. coli Selection:</b>	Chloramphenicol (34 ug/ml)
<b>Mammalian Cell Selection:</b>	Puromycin
<b>Format:</b>	Lentiviral plasmids
<b>Components:</b>	P3h2 - Mouse, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 210530). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
<b>RefSeq:</b>	<a href="#">NM_173379</a> , <a href="#">NM_173379.1</a> , <a href="#">NM_173379.2</a> , <a href="#">NM_173379.3</a>
<b>UniProt ID:</b>	<a href="#">Q8CG71</a>
<b>Summary:</b>	Prolyl 3-hydroxylase that catalyzes the post-translational formation of 3-hydroxyproline on collagens (PubMed:24368846, PubMed:25645914). Contributes to proline 3-hydroxylation of collagen COL4A1 and COL1A1 in tendons, the eye sclera and in the eye lens capsule (PubMed:25645914). Has high activity with the type IV collagen COL4A1, and lower activity with COL1A1. Catalyzes hydroxylation of the first Pro in Gly-Pro-Hyp sequences where Hyp is 4-hydroxyproline. Has no activity on substrates that have proline instead of 4-hydroxyproline in the third position (By similarity).[UniProtKB/Swiss-Prot Function]
<b>shRNA Design:</b>	These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> .



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).