

## **Product datasheet for TL516591V**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### **Eda Mouse shRNA Lentiviral Particle (Locus ID 13607)**

#### **Product data:**

**Product Type:** shRNA Lentiviral Particles

**Product Name:** Eda Mouse shRNA Lentiviral Particle (Locus ID 13607)

**Locus ID:** 13607

Synonyms: Ed1; Eda-A1; Eda-A2; EDA1; HED; Ta; tabby; Tnlg7c; XLHED

**Vector:** pGFP-C-shLenti (TR30023)

Format: Lentiviral particles

Components: Eda - Mouse shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble

control), 0.5 ml each, >10^7 TU/ml.

RefSeq: <u>BC125387, NM 001177937, NM 001177938, NM 001177939, NM 001177940, NM 001177941,</u>

NM 001177942, NM 001177943, NM 001177944, NM 010099, NM 001177942.1, NM 001177937.1, NM 001177940.1, NM 001177943.1, NM 010099.1, NM 010099.2, NM 001177938.1, NM 001177941.1, NM 001177944.1, NM 001177939.1, BC144791,

BC144790

UniProt ID: 054693

**Summary:** Cytokine which is involved in epithelial-mesenchymal signaling during morphogenesis of

ectodermal organs. Functions as a ligand activating the DEATH-domain containing receptors EDAR and EDA2R. Isoform TAA binds only to the receptor EDAR, while isoform TA-A2 binds exclusively to the receptor EDA2R (By similarity). May also play a role in cell adhesion

(PubMed:10534613).[UniProtKB/Swiss-Prot Function]

shRNA Design: These shRNA constructs were designed against multiple splice variants at this gene locus. To

be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u>. If you need a special design or shRNA sequence, please utilize our custom shRNA service.





# Performance Guaranteed:

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).