

## **Product datasheet for TL702438**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

OriGene Technologies, Inc.

## CN: techsupport@origene.cn

## Mphosph8 Rat shRNA Plasmid (Locus ID 290270)

**Product data:** 

**Product Type:** shRNA Plasmids

Product Name: Mphosph8 Rat shRNA Plasmid (Locus ID 290270)

**Locus ID:** 290270

**Synonyms:** Ab2-008; RGD1305133

**Vector:** pGFP-C-shLenti (TR30023)

E. coli Selection: Chloramphenicol (34 ug/ml)

**Mammalian Cell** 

Selection:

Puromycin

Format: Lentiviral plasmids

**Components:** Mphosph8 - Rat, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 290270).

5µg purified plasmid DNA per construct

29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.

RefSeq: NM 001017375, NM 001017375.1, NM 001017375.2, BC099116

UniProt ID: G3V8T1

**Summary:** Heterochromatin component that specifically recognizes and binds methylated 'Lys-9' of

histone H3 (H3K9me) and promotes recruitment of proteins that mediate epigenetic

repression. Mediates recruitment of the HUSH complex to H3K9me3 sites: the HUSH complex is recruited to genomic loci rich in H3K9me3 and is required to maintain transcriptional silencing by promoting recruitment of SETDB1, a histone methyltransferase that mediates further deposition of H3K9me3, as well as MORC2. Binds H3K9me and promotes DNA methylation by recruiting DNMT3A to target CpG sites; these can be situated within the coding region of the gene. Mediates down-regulation of CDH1 expression. Also represses L1 retrotransposons in collaboration with MORC2 and, probably, SETDB1, the silencing is

often occur within introns of transcriptionally active genes, and lead to the down-regulation of host gene expression. The HUSH complex is also involved in the silencing of unintegrated retroviral DNA by being recruited by ZNF638: some part of the retroviral DNA formed

dependent of repressive epigenetic modifications, such as H3K9me3 mark. Silencing events

immediately after infection remains unintegrated in the host genome and is transcriptionally

repressed.[UniProtKB/Swiss-Prot Function]







shRNA Design:

These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="techsupport@origene.com">techsupport@origene.com</a>. If you need a special design or shRNA sequence, please utilize our custom shRNA service.

**Performance Guaranteed:** 

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).