

Product datasheet for TL708336

Flrt3 Rat shRNA Plasmid (Locus ID 366205)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	shRNA Plasmids
Product Name:	Flrt3 Rat shRNA Plasmid (Locus ID 366205)
Locus ID:	366205
Synonyms:	RGD1566005
Vector:	pGFP-C-shLenti (TR30023)
E. coli Selection:	Chloramphenicol (34 ug/ml)
Mammalian Cell Selection:	Puromycin
Format:	Lentiviral plasmids
Components:	Flrt3 - Rat, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 366205). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free.
RefSeq:	<u>NM 001126291, NM 001126291.1, BC160843</u>
UniProt ID:	<u>B1H234</u>



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Firt3 Rat shRNA Plasmid (Locus ID 366205) – TL708336

Functions in cell-cell adhesion, cell migration and axon guidance, exerting an attractive or Summary: repulsive role depending on its interaction partners. Plays a role in the spatial organization of brain neurons. Plays a role in vascular development in the retina (By similarity). Plays a role in cell-cell adhesion via its interaction with ADGRL3 and probably also other latrophilins that are expressed at the surface of adjacent cells (By similarity). Interaction with the intracellular domain of ROBO1 mediates axon attraction towards cells expressing NTN1. Mediates axon growth cone collapse and plays a repulsive role in neuron guidance via its interaction with UNC5B, and possibly also other UNC-5 family members (By similarity). Promotes neurite outgrowth (in vitro) (By similarity). Mediates cell-cell contacts that promote an increase both in neurite number and in neurite length (PubMed:15485775). Plays a role in the regulation of the density of glutamaergic synapses (PubMed:22405201). Plays a role in fibroblast growth factor-mediated signaling cascades. Required for normal morphogenesis during embryonic development, but not for normal embryonic patterning. Required for normal ventral closure, headfold fusion and definitive endoderm migration during embryonic development. Required for the formation of a normal basement membrane and the maintenance of a normal anterior visceral endoderm during embryonic development (By similarity).[UniProtKB/Swiss-Prot Function]

shRNA Design:These shRNA constructs were designed against multiple splice variants at this gene locus. To
be certain that your variant of interest is targeted, please contact techsupport@origene.com.If you need a special design or shRNA sequence, please utilize our custom shRNA service.

PerformanceOriGene guarantees that the sequences in the shRNA expression cassettes are verified toGuaranteed:correspond to the target gene with 100% identity. One of the four constructs at minimum are
guaranteed to produce 70% or more gene expression knock-down provided a minimum
transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to
evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly
assess knockdown, the gene expression level from the included scramble control vector must
be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at techsupport@origene.com. Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US