

## Product datasheet for **TL711686V**

### **Ppm1b Rat shRNA Lentiviral Particle (Locus ID 24667)**

#### **Product data:**

|                      |  |
|----------------------|--|
| <b>Product Type:</b> | shRNA Lentiviral Particles   |
| <b>Product Name:</b> | Ppm1b Rat shRNA Lentiviral Particle (Locus ID 24667)   |
| <b>Locus ID:</b>     | 24667  |
| <b>Synonyms:</b>     | Pp2c2  |
| <b>Vector:</b>       | pGFP-C-shLenti (TR30023)   |
| <b>Format:</b>       | Lentiviral particles   |
| <b>Components:</b>   | Ppm1b - Rat shRNA lentiviral particles (4 unique 29mer target-specific shRNA, 1 scramble control), 0.5 ml each, >10 <sup>7</sup> TU/ml.  |
| <b>RefSeq:</b>       | <a href="#">NM_001270619</a> , <a href="#">NM_001270620</a> , <a href="#">NM_033096</a> , <a href="#">NM_033096.1</a> , <a href="#">NM_033096.2</a> , <a href="#">NM_001270620.1</a> , <a href="#">NM_001270619.1</a> , <a href="#">BC061986</a> , <a href="#">BC081762</a>  |
| <b>UniProt ID:</b>   | <a href="#">P35815</a>   |
| <b>Summary:</b>      | Enzyme with a broad specificity. Dephosphorylates PRKAA1 and PRKAA2. Inhibits TBK1-mediated antiviral signaling by dephosphorylating it at 'Ser-172'. Plays an important role in the termination of TNF-alpha-mediated NF-kappa-B activation through dephosphorylating and inactivating IKBKB/IKKB (By similarity).[UniProtKB/Swiss-Prot Function] |
| <b>shRNA Design:</b> | These shRNA constructs were designed against multiple splice variants at this gene locus. To be certain that your variant of interest is targeted, please contact <a href="mailto:techsupport@origene.com">techsupport@origene.com</a> . If you need a special design or shRNA sequence, please utilize our <a href="#">custom shRNA service</a> . |



[View online »](#)

**Performance  
Guaranteed:**

OriGene guarantees that the sequences in the shRNA expression cassettes are verified to correspond to the target gene with 100% identity. One of the four constructs at minimum are guaranteed to produce 70% or more gene expression knock-down provided a minimum transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly assess knockdown, the gene expression level from the included scramble control vector must be used in comparison with the target-specific shRNA transfected samples.

For non-conforming shRNA, requests for replacement product must be made within ninety (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with newly designed constructs, please contact Technical Services at [techsupport@origene.com](mailto:techsupport@origene.com). Please provide your data indicating the transfection efficiency and measurement of gene expression knockdown compared to the scrambled shRNA control (Western Blot data preferred).