

Product datasheet for TL712781

Rac1 Rat shRNA Plasmid (Locus ID 363875)

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

| Product Type: | shRNA Plasmids |
|------------------------------|--|
| Product Name: | Rac1 Rat shRNA Plasmid (Locus ID 363875) |
| Locus ID: | 363875 |
| Vector: | pGFP-C-shLenti (TR30023) |
| E. coli Selection: | Chloramphenicol (34 ug/ml) |
| Mammalian Cell Selection: | Puromycin |
| Format: | Lentiviral plasmids |
| Components: | Rac1 - Rat, 4 unique 29mer shRNA constructs in lentiviral GFP vector(Gene ID = 363875). 5µg purified plasmid DNA per construct 29-mer scrambled shRNA cassette in pGFP-C-shLenti Vector, TR30021, included for free. |
| RefSeq: | <u>NM 134366, NM 134366.1</u> |
| UniProt ID: | <u>Q6RUV5</u> |



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Rac1 Rat shRNA Plasmid (Locus ID 363875) – TL712781

| Summary: | Plasma membrane-associated small GTPase which cycles between active GTP-bound and inactive GDP-bound states. In its active state, binds to a variety of effector proteins to |
|---------------|---|
| | regulate cellular responses such as secretory processes, phagocytosis of apoptotic cells, |
| | epithelial cell polarization, neurons adhesion, migration and differentiation, and growth- |
| | factor induced formation of membrane ruffles (PubMed:16040606, PubMed:16549782). Rac1 |
| | p21/rho GDI heterodimer is the active component of the cytosolic factor sigma 1, which is |
| | involved in stimulation of the NADPH oxidase activity in macrophages. Essential for the |
| | SPATA13-mediated regulation of cell migration and adhesion assembly and disassembly. |
| | Stimulates PKN2 kinase activity (By similarity). In concert with RAB7A, plays a role in |
| | regulating the formation of RBs (ruffled borders) in osteoclasts (PubMed:16040606). In glioma |
| | cells, promotes cell migration and invasion (PubMed:20696765). In podocytes, promotes |
| | nuclear shuttling of NR3C2; this modulation is required for a proper kidney functioning |
| | (PubMed:19029984). Required for atypical chemokine receptor ACKR2-induced LIMK1-PAK1- |
| | dependent phosphorylation of cofilin (CFL1) and for up-regulation of ACKR2 from endosomal |
| | compartment to cell membrane, increasing its efficiency in chemokine uptake and |
| | degradation (By similarity). In neurons, is involved in dendritic spine formation and synaptic |
| | plasticity (PubMed:25498153). In synapses, seems to mediate the regulation of F-actin cluster |
| | formation performed by SHANK3 (PubMed:24089484).[UniProtKB/Swiss-Prot Function] |
| shRNA Design: | These shRNA constructs were designed against multiple splice variants at this gene locus. To |
| | be certain that your variant of interest is targeted, please contact <u>techsupport@origene.com</u> . |
| | If you need a special design or shRNA sequence, please utilize our <u>custom shRNA service</u> . |
| Performance | OriGene guarantees that the sequences in the shRNA expression cassettes are verified to |
| Guaranteed: | correspond to the target gene with 100% identity. One of the four constructs at minimum are |
| | guaranteed to produce 70% or more gene expression knock-down provided a minimum |
| | transfection efficiency of 80% is achieved. Western Blot data is recommended over qPCR to |
| | evaluate the silencing effect of the shRNA constructs 72 hrs post transfection. To properly |
| | assess knockdown, the gene expression level from the included scramble control vector must |
| | be used in comparison with the target-specific shRNA transfected samples. |
| | For non-conforming shRNA, requests for replacement product must be made within ninety |
| | (90) days from the date of delivery of the shRNA kit. To arrange for a free replacement with |
| | newly designed constructs, please contact Technical Services at techsupport@origene.com. |
| | Please provide your data indicating the transfection efficiency and measurement of gene |
| | expression knockdown compared to the scrambled shRNA control (Western Blot data |

preferred).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US