

Product datasheet for TP300006

LDL Receptor (LDLR) (NM_000527) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins
Description: Recombinant protein of human low density lipoprotein receptor (LDLR), 20 µg
Species: Human
Expression Host: HEK293T
Expression cDNA Clone or AA Sequence: >RC200006 representing NM_000527
Red=Cloning site Green=Tags(s)

MGPWGWKLRWTVALLAAAGTAVGDR CERNEFQCQDGK CISYKWVCDGSAECQDGSDESQETCLSVC
 KS
 GDFSCGGRVNRCIPQFWRC DGQVDCDNGSDEQGCPPKTC SQDEF RCHD GK CISRQFVCDS DRDCLDGS
 DE
 ASCPVLTCGPASFQCNSSTCIPQLWACDNDPDCEDGSDEWPQRCRGLYVFQGDSSPCSAFEFHCLSGECI
 HSSWRCDGGPDCKDKSDEENCAVATCRPDEFQCS DGNCIHGSRQCDREYDCKDMSDEVGCNVNVTLC EG
 PN
 KFKCHSGECITLDKVCNMARDCRDWSDEPIKECGTNECLDNNGGCSHVCNDLKIGYECLCPDGFQLVAQ
 R
 RCEDIDECQDPDTCSQLCVNLEGGYKCQCEEGFQLDPHTKACKAVGSIAYLFFTNRHEVRKMTLDRSEYT
 SLIPNLRNVVALDTEVASNRIYWS DLSQRMICSTQLDRAHGVSSYD TVISRDIQAPDGLAVDWIHSNIYW
 TDSVLGTVSVADTKGVKRKTLFRENGSKPRAI WVDPVHGFMYWTDWGTPAKIKKGG LINGVDIYSLVTENI
 QWPNGITLDLLSGRLYWVDSKLHSISSIDVNGGNRKTILEDEKRLAHPFSLAVFEDKVFWTDIINEAIFS
 ANRLTGSDVNLLAENLLSPEDMVL FHNLTQPRGVNWCERTTLSNGGCQYLCLPAPQINPHSPKFTCAC P
 D
 GMLLARDMRSCLTEAEAAVATQETSTVRLKVSSTAVRTQHTTTRPVPDTSRLPGATPGLTTVEIVTMSHQ
 ALGDVAGRGNEKKPSSVRALSIVLPIVLLVFLC LGVFLWKNWRLKNINSINF DNPVYQKTTEDEVHICH
 NQDGYSYPSRQMVSLEDDVA


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 93 kDa
Concentration: >0.05 µg/µL as determined by microplate BCA method
Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining



[View online »](#)

Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_000518
Locus ID:	3949
UniProt ID:	P01130
RefSeq Size:	5175
Cytogenetics:	19p13.2
RefSeq ORF:	2580
Synonyms:	FH; FHC; FHCL1; LDLCQ2
Summary:	The low density lipoprotein receptor (LDLR) gene family consists of cell surface proteins involved in receptor-mediated endocytosis of specific ligands. Low density lipoprotein (LDL) is normally bound at the cell membrane and taken into the cell ending up in lysosomes where the protein is degraded and the cholesterol is made available for repression of microsomal enzyme 3-hydroxy-3-methylglutaryl coenzyme A (HMG CoA) reductase, the rate-limiting step in cholesterol synthesis. At the same time, a reciprocal stimulation of cholesterol ester synthesis takes place. Mutations in this gene cause the autosomal dominant disorder, familial hypercholesterolemia. Alternate splicing results in multiple transcript variants.[provided by RefSeq, Sep 2010]
Protein Families:	Druggable Genome, ES Cell Differentiation/IPS, Transmembrane
Protein Pathways:	Endocytosis

Product images:

Coomassie blue staining of purified LDLR protein (Cat# TP300006). The protein was produced from HEK293T cells transfected with LDLR cDNA clone (Cat# [RC200006]) using MegaTran 2.0 (Cat# [TT210002]).