

Product datasheet for **TP300029M**

NDUFAF1 (NM_016013) Human Recombinant Protein


Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human NADH dehydrogenase (ubiquinone) 1 alpha subcomplex, assembly factor 1 (NDUFAF1), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC200029 protein sequence Red =Cloning site Green =Tags(s) MALVHKLLRGTYFLRKFSKPTSALYPFLGIRFAEYSSSLQKPVASPGKASSQRKTEGDLQGDHQKEVALD ITSSEKPDVSFDKAIKDEAIYHFRLKDEIVDHWRGPEGHPLHEVLLEQAKVWWQFRGKEDLDKWTVTS DKTIGGRSEVFLKMGKNNQSALLYGTLSEAPQDGESTRSGYCAMISRIPRGAFAFERKMSYDWSQFNTLYL RVRGDGRPWMVNIKEDTDFQRTNQMYSYFMFTRGGPYWQEVKIPFSKFFFSNRGRIRDVQHELPLDKI S SIGFTLADKVDGPPFFLEIDFIGVFTDPAHTEEFAYENSPELNPRLFK TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	37.6 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_057097</u>


[View online »](#)

Locus ID:	51103
UniProt ID:	Q9Y375
RefSeq Size:	1488
Cytogenetics:	15q15.1
RefSeq ORF:	981
Synonyms:	CGI-65; CGI65; CIA30; MC1DN11
Summary:	This gene encodes a complex I assembly factor protein. Complex I (NADH-ubiquinone oxidoreductase) catalyzes the transfer of electrons from NADH to ubiquinone (coenzyme Q) in the first step of the mitochondrial respiratory chain, resulting in the translocation of protons across the inner mitochondrial membrane. The encoded protein is required for assembly of complex I, and mutations in this gene are a cause of mitochondrial complex I deficiency. Alternatively spliced transcript variants have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 19. [provided by RefSeq, Dec 2011]

Product images:



Coomassie blue staining of purified NDUFAF1 protein (Cat# [TP300029]). The protein was produced from HEK293T cells transfected with NDUFAF1 cDNA clone (Cat# [RC200029]) using MegaTran 2.0 (Cat# [TT210002]).