

## Product datasheet for TP300371

### DDX5 (NM\_004396) Human Recombinant Protein


#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human DEAD (Asp-Glu-Ala-Asp) box polypeptide 5 (DDX5), 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC200371 protein sequence <span style="color: red;">Red</span> =Cloning site <span style="color: green;">Green</span> =Tags(s)  MSGYSSDRDRGRDRGFGAPRFGGSRAGPLSGKKFGNPGEKLVKKKWNLDLPKFEKNFYQEHPDLARRT A QEVETYRRSKEITVRGHNCPPVLNFYEANFPANVMDVIARQNFTEPTAIQAQGWVVALSGLDMVGVAQ T GSGKTLSYLLPAIVHINHQPFLERGDGPICLVLAPTRELAQQVQQVAAEYCRACRLKSTCIYGGAPKGPQ IRDLERGVEICATPGRLLDFLECGKTNLRRTTYLVLEADRMMDMGFEPQIRKIVDQIRPDQRQTLMWSA TWPKEVRQLAEDFLKDYIHINIGALELSANHNILQIVDVCHDVEKDEKLIRLMEEIMSEKENKTIVFVET KRRCDLTKMRRDGWPAMGIHGDKSQQERDWVLNEFKHKGAPILIATDVASRGDLVEDVKFVINYDYP N SSEDYIHRIGRTARSTKTGTAYTFFTPNNIKQVSDLSVLREANQAINPKLLQLVEDRGSGRSRGRGGMK DDDRRDRYSAGKRGGFNTFRDRENYDRGYSSLLKRDFGAKTQNGVYSAANYTNGSFGSNFVSAGIQTSFRT GNPTGTYQNGYDSTQQYGSNVPNMHNGMNQQAYAYPATAAAPMIGYPMPTGYSQ  <span style="color: red;">TR</span> TRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	69 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Bioactivity:	Phosphorylation substrate (PMID: <a href="#">25649741</a> ) Binding assay (PMID: <a href="#">27148684</a> )
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.



[View online »](#)

<b>Note:</b>	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
<b>Storage:</b>	Store at -80°C.
<b>Stability:</b>	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
<b>RefSeq:</b>	<u>NP_004387</u>
<b>Locus ID:</b>	1655
<b>UniProt ID:</b>	<u>P17844</u>
<b>RefSeq Size:</b>	3769
<b>Cytogenetics:</b>	17q23.3
<b>RefSeq ORF:</b>	1842
<b>Synonyms:</b>	G17P1; HLR1; HUMP68; p68
<b>Summary:</b>	This gene encodes a member of the DEAD box family of RNA helicases that are involved in a variety of cellular processes as a result of its role as an adaptor molecule, promoting interactions with a large number of other factors. This protein is involved in pathways that include the alteration of RNA structures, plays a role as a coregulator of transcription, a regulator of splicing, and in the processing of small noncoding RNAs. Members of this family contain nine conserved motifs, including the conserved Asp-Glu-Ala-Asp (DEAD) motif, important to ATP binding and hydrolysis as well as RNA binding and unwinding activities. Dysregulation of this gene may play a role in cancer development. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Sep 2017]
<b>Protein Pathways:</b>	Spliceosome

### Product images:



DDX5 binds to resveratrol regardless of the digestion of RNA by RNase A treatment. Purified recombinant DDX5 (1 ug) (OriGene TP300371) with or without RNase A treatment was incubated with the resveratrol-immobilized beads, and the bound DDX5 was detected by Western blotting. The input lane corresponds to recombinant DDX5 protein (150 ng). Figure cited from Cell Death Dis, PMID: 27148684



Coomassie blue staining of purified DDX5 protein (Cat# TP300371). The protein was produced from HEK293T cells transfected with DDX5 cDNA clone (Cat# [RC200371]) using MegaTran 2.0 (Cat# [TT210002]).