

Product datasheet for **TP300551L**

PAPSS2 (NM_004670) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human 3'-phosphoadenosine 5'-phosphosulfate synthase 2 (PAPSS2), transcript variant 1, 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC200551 protein sequence Red =Cloning site Green =Tags(s)
	<p>MSGIKKQKTENQKSTNVVYQAHHVS RNKRQVWGTRGGFRGCTVWLTGLSGAGKTTISFALEEYLVSHA IPCYSLDGDNVRHGLNRNLGFS PGDREENIRRIAEVAKLFADAGLVCITSFISPFADRENARKIHESAG LPFFEIVDAPLNICESRDVKGLYKRARAGEIKGFTGIDSDYEKPERVLKTNLSTVSDCVHQVWELL QEQNIVPYTIKDIHELFPENKLDHVRAEAETLPSLSITKLDLQVWVQLSEGWATPLKGFMRKEYLQV MHFDTLDDGVINMSIPIVLPVSAEDKTRLEGCSKFVLAHGRRVAILRDAEFYEHRKEERCSRWGTTC TKHPHIKMMVMESGDWL VGGDLQVLEKIRWNDGLDQYRLTPELEKQKCKEMNADAVFAFQLRNPVHNGHAL LMQDTRRRLLERGYKHPVLLHPLGGWTKDDD VPLDWRMKQHAAVLEEGVLDPKSTIVAIFPSPMLYAGP TEVQWHCRSRMIAGANFYIVGRDPAGMPHPETKKDLYEP THGGKVLSMAPGLTSVEIIPFRVAAYNKAKK AMDFYD PARHNEFD FISGTRMRKLAREGENPPDGFMAPKAWKVLTDYYRSLEKN</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	69.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_004661
Locus ID:	9060
UniProt ID:	O95340 , Q5TB52
RefSeq Size:	3859
Cytogenetics:	10q23.2-q23.31
RefSeq ORF:	1842
Synonyms:	ATPSK2; BCYM4; SK2
Summary:	Sulfation is a common modification of endogenous (lipids, proteins, and carbohydrates) and exogenous (xenobiotics and drugs) compounds. In mammals, the sulfate source is 3'-phosphoadenosine 5'-phosphosulfate (PAPS), created from ATP and inorganic sulfate. Two different tissue isoforms encoded by different genes synthesize PAPS. This gene encodes one of the two PAPS synthetases. Defects in this gene cause the Pakistani type of spondyloepimetaphyseal dysplasia. Two alternatively spliced transcript variants that encode different isoforms have been described for this gene. [provided by RefSeq, Jul 2008]
Protein Families:	Druggable Genome
Protein Pathways:	Metabolic pathways, Purine metabolism, Selenoamino acid metabolism, Sulfur metabolism

Product images:



Coomassie blue staining of purified PAPSS2 protein (Cat# [TP300551]). The protein was produced from HEK293T cells transfected with PAPSS2 cDNA clone (Cat# [RC200551]) using MegaTran 2.0 (Cat# [TT210002]).