

## Product datasheet for **TP300628M**

### ADK (NM\_001123) Human Recombinant Protein

#### Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens adenosine kinase (ADK), transcript variant ADK-short, 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC200628 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)

MTSVRENILFGMGNPLLDISAVVDKDFLDKYS LKPNDQILAEDKHKELFDELVKKFKVEYHAGGSTQNSI  
KVAQWMIQQPHKAATFFGCIGIDKFGEILKRKAAEAHVDAHYEQNEQPTGTCAACITGDNRS LIANLAA  
ANCYKKEKHLDLKWNMLVEKARVCYIAGFFLTVSPESVLKVAHHASENNRIFTLNLSAPFFSQFYKESL  
MKVMPYVDILFGNETEAATFAREQGFETKDIKEIAKKTQALPKMNSKRQRIVFTQGRDDTIMATESEVT  
AFAVLDQDQKEIIDTNGAGDAFVGGFLSQLVSDKPLTECIRAGHYAASIIIRRTGCTFPEKPDFH

**TR**TRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	38.5 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<a href="#">NP_001114</a>
Locus ID:	132



[View online »](#)

UniProt ID: [P55263](#), [A0A140VJE0](#)

RefSeq Size: 2288

Cytogenetics: 10q22.2 | 10q11-q24

RefSeq ORF: 1035


Synonyms: AK

**Summary:** This gene encodes an enzyme which catalyzes the transfer of the gamma-phosphate from ATP to adenosine, thereby serving as a regulator of concentrations of both extracellular adenosine and intracellular adenosine nucleotides. Adenosine has widespread effects on the cardiovascular, nervous, respiratory, and immune systems and inhibitors of the enzyme could play an important pharmacological role in increasing intravascular adenosine concentrations and acting as anti-inflammatory agents. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jan 2011]

**Protein Families:** Druggable Genome

**Protein Pathways:** Metabolic pathways, Purine metabolism

### Product images:



Coomassie blue staining of purified ADK protein (Cat# [TP300628]). The protein was produced from HEK293T cells transfected with ADK cDNA clone (Cat# [RC200628]) using MegaTran 2.0 (Cat# [TT210002]).