

Product datasheet for TP300738L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

ACTR1A (NM 005736) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human ARP1 actin-related protein 1 homolog A, centractin alpha

(yeast) (ACTR1A), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC200738 protein sequence

or AA Sequence: Red=Cloning site Green=Tags(s)

MESYDVIANQPVVIDNGSGVIKAGFAGDQIPKYCFPNYVGRPKHVRVMAGALEGDIFIGPKAEEHRGLLS IRYPMEHGIVKDWNDMERIWQYVYSKDQLQTFSEEHPVLLTEAPLNPRKNRERAAEVFFETFNVPALFIS MQAVLSLYATGRTTGVVLDSGDGVTHAVPIYEGFAMPHSIMRIDIAGRDVSRFLRLYLRKEGYDFHSSSE FEIVKAIKERACYLSINPQKDETLETEKAQYYLPDGSTIEIGPSRFRAPELLFRPDLIGEESEGIHEVLV FAIQKSDMDLRRTLFSNIVLSGGSTLFKGFGDRLLSEVKKLAPKDVKIRISAPQERLYSTWIGGSILASL

DTFKKMWVSKKEYEEDGARSIHRKTF

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 42.4 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005727





Locus ID: 10121

UniProt ID: <u>P61163</u>, <u>A0A384NQ21</u>

RefSeq Size: 2891

Cytogenetics: 10q24.32

RefSeq ORF: 1128


Synonyms: ARP1; Arp1A; CTRN1

Summary: This gene encodes a 42.6 kD subunit of dynactin, a macromolecular complex consisting of 10-

11 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, chromosome movement, nuclear positioning, and axonogenesis. This subunit is present in 8-13 copies per dynactin molecule, and is the most abundant molecule in the dynactin complex. It is an actin-related protein, and is approximately 60% identical at the amino acid level to

conventional actin. [provided by RefSeq, Jul 2008]

Product images:



Coomassie blue staining of purified ACTR1A protein (Cat# [TP300738]). The protein was produced from HEK293T cells transfected with ACTR1A cDNA clone (Cat# [RC200738]) using MegaTran 2.0 (Cat# [TT210002]).