

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TP300870

#### DCUN1D5 (NM\_032299) Human Recombinant Protein

### **Product data:**


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human DCN1, defective in cullin neddylation 1, domain containing 5 (S. cerevisiae) (DCUN1D5), 20 $\mu g$
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC200870 protein sequence <mark>Red</mark> =Cloning site Green=Tags(s)
	MPVKKKRKSPGVAAAVAEDGGLKKCKISSYCRSQPPARLISGEEHFSSKKCLAWFYEYAGPDEVVGPEGM EKFCEDIGVEPENIIMLVLAWKLEAESMGFFTKEEWLKGMTSLQCDCTEKLQNKFDFLRSQLNDISSFKN IYRYAFDFARDKDQRSLDIDTAKSMLALLLGRTWPLFSVFYQYLEQSKYRVMNKDQWYNVLEFSRTVHAD LSNYDEDGAWPVLLDEFVEWQKVRQTS
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	27.3 kDa
Concentration:	>0.05 μg/μL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP 115675</u>
Locus ID:	84259



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	DCUN1D5 (NM_032299) Human Recombinant Protein – TP300870
UniProt ID:	<u>Q9BTE7, A0A024R3A2</u>
RefSeq Size:	12732
Cytogenetics:	11q22.3
RefSeq ORF:	711
Synonyms:	SCCRO5
Summary:	Contributes to the neddylation of all cullins by transfering NEDD8 from N-terminally acetylated NEDD8-conjugating E2s enzyme to different cullin C-terminal domain-RBX complexes which is necessary for the activation of cullin-RING E3 ubiquitin ligases (CRLs) (PubMed:26906416, PubMed:23201271, PubMed:19617556). May play a role in DNA damage response and may participate to cell proliferation and anchorage-independent cell growth (PubMed:23098533, PubMed:24192928).[UniProtKB/Swiss-Prot Function]

## **Product images:**



Coomassie blue staining of purified DCUN1D5 protein (Cat# TP300870). The protein was produced from HEK293T cells transfected with DCUN1D5 cDNA clone (Cat# [RC200870]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US