

Product datasheet for **TP301075L**

STAT1 (NM_139266) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human signal transducer and activator of transcription 1, 91kDa (STAT1), transcript variant beta, 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC201075 protein sequence Red =Cloning site Green =Tags(s)

MSQWYELQQLDSKFLEQVHQLYDDSFPMERQYLAQWLEKQDWEHAANDVSFATIRFHDLLSQLDDQYSR
FSLENNFLLQHNIRKSKRNLQDNFQEDPIQMSMIISCLKEERKILENAQRFNQAQSGNIQSTVMLDKQK
ELDSKVRNVKDKVMCIEHEIKSLEDLQDEYDFKCKTLQNHREHETNGVAKSDQKQEQLLLKMYLMLDNKR
KEVVKIIELLNVTTELQNALINDELVEWKRRQQSACIGGPPNACLDQLQNWFTIVAESLQQVRQQLKLL
EELEQKYTYEHPITKNKQVLWDRTFSLFQQLIQSSFVVERQPCMPHPQRPLVLTGTGQFTVLRLLVK
LQELNYNLKVKVLFDKDVNERNTVKGFRKFNILGHTTKVMNMEESTNGSLAAEFRHLQLKEQKNAGTRTN
EGPLIVTEELHLSLQFETQLCQPLVIDLETTSLPVVISNVSQPSGWASILWYNMLVAEPRNLSFFLTP
PCARWAQLSEVLSWQFSSVTKRGLNVDQLNMLGEKLLGPNASPDGLIPWTRFCKENINDKNFPFWLWIES
ILELIKHLPLWNDGCIMGFISKERERALLKDQQPGTFLRFSESSREGAITFTWVERSQNGGEPDFHA
VEPYTKKELSAVTFPDIIRNYKVMAAENIPENPLKYLPNIDKDHAFGKYSRPKEAPEPEMELDGPKGKG
YIKTELISVSEV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	82.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.



[View online »](#)

Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_644671
Locus ID:	6772
UniProt ID:	P42224
RefSeq Size:	2798
Cytogenetics:	2q32.2
RefSeq ORF:	2136
Synonyms:	CANDF7; IMD31A; IMD31B; IMD31C; ISGF-3; STAT91
Summary:	The protein encoded by this gene is a member of the STAT protein family. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. The protein encoded by this gene can be activated by various ligands including interferon-alpha, interferon-gamma, EGF, PDGF and IL6. This protein mediates the expression of a variety of genes, which is thought to be important for cell viability in response to different cell stimuli and pathogens. The protein plays an important role in immune responses to viral, fungal and mycobacterial pathogens. Mutations in this gene are associated with Immunodeficiency 31B, 31A, and 31C. [provided by RefSeq, Jun 2020]
Protein Families:	Druggable Genome, Transcription Factors
Protein Pathways:	Chemokine signaling pathway, Jak-STAT signaling pathway, Pancreatic cancer, Pathways in cancer, Toll-like receptor signaling pathway

Product images:



Coomassie blue staining of purified STAT1 protein (Cat# [TP301075]). The protein was produced from HEK293T cells transfected with STAT1 cDNA clone (Cat# [RC201075]) using MegaTran 2.0 (Cat# [TT210002]).