

Product datasheet for **TP301198L**

Antizyme inhibitor 1 (AZIN1) (NM_148174) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human antizyme inhibitor 1 (AZIN1), transcript variant 2, 1 mg

Species: Human

Expression Host: HEK293T

**Expression cDNA Clone
or AA Sequence:** >RC201198 protein sequence
Red=Cloning site **Green**=Tags(s)

MKGFIDDANYSVGLLDEGTNLGNVIDNYVYEHTLTGKNAFFVGD LGKIVKKHSQWQNVVAQIKPFYTVKC
NSAPAVLEILAALGTGFACSSKNEMALVQELGVPPENIYISPCQVVSQIKYAAKVGVNILTC DNEIELK
KIARNHPNAKVLLHIATEDNIGGEEGNMFKGTTLNCRHLLLECAKELDVQIIGVKFHVSSACKESQVYVH
ALSDARCVFDMAGEIGFTMNMLDIGGGFTGTEFQLEEVNHVISPLLDIYFPEGSGVKIISEPGSYVSSA
FTLAVNIIAKKVENDKFP SGVEKTGSDEPAFMYYMNDGVYGSFASKLSEDLNTIPEVHKKYKEDEPLFT
SSLWGPSCDEL DQIVESCLLPELNVDWLIFDNMGADSFHEPSAFNDFQRPAIYYMMSFSDWYEMQDAGI
TSDSMMKNFFFVPSCIQLSQEDSFSAEA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 49.4 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: [NP_680479](#)




[View online »](#)

Locus ID:	51582
UniProt ID:	O14977 , A0A024R9C7
RefSeq Size:	4239
Cytogenetics:	8q22.3
RefSeq ORF:	1344
Synonyms:	AZI; AZI1; AZIA1; OAZI; OAZIN; ODC1L

Summary: The protein encoded by this gene belongs to the antizyme inhibitor family, which plays a role in cell growth and proliferation by maintaining polyamine homeostasis within the cell. Antizyme inhibitors are homologs of ornithine decarboxylase (ODC, the key enzyme in polyamine biosynthesis) that have lost the ability to decarboxylase ornithine; however, retain the ability to bind to antizymes. Antizymes negatively regulate intracellular polyamine levels by binding to ODC and targeting it for degradation, as well as by inhibiting polyamine uptake. Antizyme inhibitors function as positive regulators of polyamine levels by sequestering antizymes and neutralizing their effect. This gene encodes antizyme inhibitor 1, the first member of this gene family that is ubiquitously expressed, and is localized in the nucleus and cytoplasm. Overexpression of antizyme inhibitor 1 gene has been associated with increased proliferation, cellular transformation and tumorigenesis. Gene knockout studies showed that homozygous mutant mice lacking functional antizyme inhibitor 1 gene died at birth with abnormal liver morphology. RNA editing of this gene, predominantly in the liver tissue, has been linked to the progression of hepatocellular carcinoma. Alternatively spliced transcript variants have been described for this gene. [provided by RefSeq, Sep 2014]

Protein Families: Druggable Genome

Product images:



Coomassie blue staining of purified AZIN1 protein (Cat# [TP301198]). The protein was produced from HEK293T cells transfected with AZIN1 cDNA clone (Cat# [RC201198]) using MegaTran 2.0 (Cat# [TT210002]).