

Product datasheet for TP301203M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

S100 alpha 2 (S100A2) (NM_005978) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human S100 calcium binding protein A2 (S100A2), 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC201203 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MMCSSLEQALAVLVTTFHKYSCQEGDKFKLSKGEMKELLHKELPSFVGEKVDEEGLKKLMGSLDENSDQ

Q

VDFQEYAVFLALITVMCNDFFQGCPDRP

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK
Predicted MW: 10.8 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005969

 Locus ID:
 6273

 UniProt ID:
 P29034

 RefSeq Size:
 970





Cytogenetics: 1q21.3

RefSeq ORF: 294


Synonyms: CAN19; S100L

Summary: The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-

hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may have a tumor suppressor function. Chromosomal rearrangements and altered expression of this gene have been

implicated in breast cancer. [provided by RefSeq, Jul 2008]

Product images:



Coomassie blue staining of purified S100A2 protein (Cat# [TP301203]). The protein was produced from HEK293T cells transfected with S100A2 cDNA clone (Cat# [RC201203]) using MegaTran 2.0 (Cat# [TT210002]).