

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product datasheet for TP301211L

Suppressor of Ty 4 homolog 1 (SUPT4H1) (NM_003168) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins	
Description:	Description: Recombinant protein of human suppressor of Ty 4 homolog 1 (S. cerevisiae) (SUPT4H1), 1 m	
Species:	Human	
Expression Host:	pression Host: HEK293T	
Expression cDNA Clone	>RC201211 protein sequence	
or AA Sequence:	Red=Cloning site Green=Tags(s)	
	MALETVPKDLRHLRACLLCSLVKTIDQFEYDGCDNCDAYLQMKGNREMVYDCTSSSFDGIIAMMSPEDSW VSKWQRVSNFKPGVYAVSVTGRLPQGIVRELKSRGVAYKSRDTAIKT	
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV	
Tag:	C-Myc/DDK	
Predicted MW:	13 kDa	
Concentration:	>0.05 µg/µL as determined by microplate BCA method	
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining	
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol	
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.	
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.	
Storage:	Store at -80°C.	
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.	
RefSeq:	<u>NP 003159</u>	
Locus ID:	6827	
UniProt ID:	Prot ID: <u>P63272</u>	
RefSeq Size:	1545	
Cytogenetics:	17q22	



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

GRIGENE Suppressor of Ty 4 homolog 1 (SUPT4H1) (NM_003168) Human Recombinant Protein	
RefSeq ORF:	351
Synonyms:	SPT4; SPT4H; Supt4a; SUPT4H
Summary:	This gene encodes the small subunit of DRB (5,6-dichloro-1-beta-d- ribofuranosylbenzimidazole) sensitivity-inducing factor (DSIF) complex, which regulates mRNA processing and transcription elongation by RNA polymerase II. The encoded protein is localized to the nucleus and interacts with the large subunit (SUPT5H) to form the DSIF complex. Related pseudogenes have been identified on chromosomes 2 and 12. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Nov 2012]
Protein Families	: Transcription Factors

Product images:

116	_
66	_
45	_
35	_
25	_
18	_
14	-

Coomassie blue staining of purified SUPT4H1 protein (Cat# [TP301211]). The protein was produced from HEK293T cells transfected with SUPT4H1 cDNA clone (Cat# [RC201211]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US