

## **Product datasheet for TP301249**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Histone H1.2 (HIST1H1C) (NM\_005319) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human histone cluster 1, H1c (HIST1H1C), 20 μg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC201249 representing NM\_005319 or AA Sequence: Red=Cloning site Green=Tags(s)

MSETAPAAPAAAPPAEKAPVKKKAAKKAGGTPRKASGPPVSELITKAVAASKERSGVSLAALKKALAAAG YDVEKNNSRIKLGLKSLVSKGTLVQTKGTGASGSFKLNKKAASGEAKPKVKKAGGTKPKKPVGAAKKPKK AAGGATPKKSAKKTPKKAKKPAAATVTKKVAKSPKKAKVAKPKKAAKSAAKAVKPKAAKPKVVKPKKAAP

KKK

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 21.2 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005310

**Locus ID:** 3006

UniProt ID: P16403





RefSeq Size: 732

Cytogenetics: 6p22.2 RefSeq ORF: 639

**Synonyms:** H1.2; H1C; H1F2; H1s-1; HIST1H1C


**Summary:** Histones are basic nuclear proteins responsible for nucleosome structure of the chromosomal

fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H1 family. Transcripts from this gene lack polyA tails but instead contain a palindromic

termination element. This gene is found in the large histone gene cluster on chromosome 6.

[provided by RefSeq, Aug 2015]

## **Product images:**



Coomassie blue staining of purified HIST1H1C protein (Cat# TP301249). The protein was produced from HEK293T cells transfected with HIST1H1C cDNA clone (Cat# [RC201249]) using MegaTran 2.0 (Cat# [TT210002]).