

Product datasheet for TP301356

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SIGIRR (NM 021805) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Homo sapiens single immunoglobulin and toll-interleukin 1

receptor (TIR) domain (SIGIRR), transcript variant 3, 20 μg

Species: Human **Expression Host:** HEK293T

Expression cDNA Clone >RC201356 protein sequence or AA Sequence:

Red=Cloning site Green=Tags(s)

MPGVCDRAPDFLSPSEDQVLRPALGSSVALNCTAWVVSGPHCSLPSVQWLKDGLPLGIGGHYSLHEYSWV KANLSEVLVSSVLGVNVTSTEVYGAFTCSIQNISFSSFTLQRAGPTSHVAAVLASLLVLLALLLAALLYV KCRLNVLLWYQDAYGEVEINDGKLYDAYVSYSDCPEDRKFVNFILKPQLERRRGYKLFLDDRDLLPRAEP SADLLVNLSRCRRLIVVLSDAFLSRAWCSHSFREGLCRLLELTRRPIFITFEGQRRDPAHPALRLLRQHR HLVTLLLWRPGSVTPSSDFWKEVQLALPRKVRYRPVEGDPQTQLQDDKDPMLILRGRVPEGRALDSEVDP

DPEGDLGVRGPVFGEPSAPPHTSGVSLGESRSSEVDVSDLGSRNYSARTDFYCLVSKDDM

SGPTRTRPLEQKLISEEDLAANDILDYKDDDDKV

C-Myc/DDK Tag: Predicted MW: 45.5 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Recombinant protein was captured through anti-DDK affinity column followed by conventional **Preparation:**

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Store at -80°C. Storage:

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

NP 068577 RefSeq:





Locus ID: 59307

UniProt ID: Q6IA17 RefSeq Size: 1657

Cytogenetics: 11p15.5 RefSeq ORF: 1230

Synonyms: IL-1R8; TIR8


Summary: Acts as a negative regulator of the Toll-like and IL-1R receptor signaling pathways. Attenuates

> the recruitment of receptor-proximal signaling components to the TLR4 receptor, probably through an TIR-TIR domain interaction with TLR4. Through its extracellular domain interferes

with the heterodimerization of Il1R1 and IL1RAP.[UniProtKB/Swiss-Prot Function]

Transcription Factors, Transmembrane **Protein Families:**

Product images:



Coomassie blue staining of purified SIGIRR protein (Cat# TP301356). The protein was produced from HEK293T cells transfected with SIGIRR cDNA clone (Cat# [RC201356]) using MegaTran 2.0 (Cat# [TT210002]).