

Product datasheet for TP301467L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

CN: techsupport@origene.cn

Glutathione S Transferase kappa 1 (GSTK1) (NM_015917) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human glutathione S-transferase kappa 1 (GSTK1), transcript variant

1, 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC201467 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MGPLPRTVELFYDVLSPYSWLGFEILCRYQNIWNINLQLRPSLITGIMKDSGNKPPGLLPRKGLYMANDL KLLRHHLQIPIHFPKDFLSVMLEKGSLSAMRFLTAVNLEHPEMLEKASRELWMRVWSRNEDITEPQSILA AAEKAGMSAEQAQGLLEKIATPKVKNQLKETTEAACRYGAFGLPITVAHVDGQTHMLFGSDRMELLAHLL

GEKWMGPIPPAVNARL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 25.3 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 057001 **Locus ID:** 373156





Glutathione S Transferase kappa 1 (GSTK1) (NM_015917) Human Recombinant Protein – TP301467L

UniProt ID: Q9Y2Q3, Q6FII1

RefSeq Size: 1058 Cytogenetics: 7q34 RefSeq ORF: 678

Synonyms: GST; GST13; GST 13-13; GSTK1-1; hGSTK1

Summary: This gene encodes a member of the kappa class of the glutathione transferase superfamily of


enzymes that function in cellular detoxification. The encoded protein is localized to the peroxisome and catalyzes the conjugation of glutathione to a wide range of hydrophobic substates facilitating the removal of these compounds from cells. Alternative splicing results

in multiple transcript variants.[provided by RefSeq, Jan 2009]

Protein Pathways: Drug metabolism - cytochrome P450, Glutathione metabolism, Metabolism of xenobiotics by

cytochrome P450

Product images:



Coomassie blue staining of purified GSTK1 protein (Cat# [TP301467]). The protein was produced from HEK293T cells transfected with GSTK1 cDNA clone (Cat# [RC201467]) using MegaTran 2.0 (Cat# [TT210002]).