

Product datasheet for TP301543L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

N myc interactor (NMI) (NM_004688) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human N-myc (and STAT) interactor (NMI), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC201543 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MEADKDDTQQILKEHSPDEFIKDEQNKGLIDEITKKNIQLKKEIQKLETELQEATKEFQIKEDIPETKMK FLSVETPENDSQLSNISCSFQVSSKVPYEIQKGQALITFEKEEVAQNVVSMSKHHVQIKDVNLEVTAKPV PLNSGVRFQVYVEVSKMKINVTEIPDTLREDQMRDKLELSFSKSRNGGGEVDRVDYDRQSGSAVITFVEI GVADKILKKKEYPLYINQTCHRVTVSPYTEIHLKKYQIFSGTSKRTVLLTGMEGIQMDEEIVEDLINIHF

QRAKNGGGEVDVVKCSLGQPHIAYFEE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 34.9 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 004679

Locus ID: 9111



N myc interactor (NMI) (NM_004688) Human Recombinant Protein - TP301543L

UniProt ID: Q13287
RefSeq Size: 1501
Cytogenetics: 2q23.3
RefSeq ORF: 921

Summary: NMYC interactor (NMI) encodes a protein that interacts with NMYC and CMYC (two members

of the oncogene Myc family), and other transcription factors containing a Zip, HLH, or HLH-Zip


motif. The NMI protein also interacts with all STATs except STAT2 and augments STAT-

mediated transcription in response to cytokines IL2 and IFN-gamma. The NMI mRNA has low

expression levels in all human fetal and adult tissues tested except brain and has high expression in cancer cell line-myeloid leukemias. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, Transcription Factors

Product images:



Coomassie blue staining of purified NMI protein (Cat# [TP301543]). The protein was produced from HEK293T cells transfected with NMI cDNA clone (Cat# [RC201543]) using MegaTran 2.0 (Cat# [TT210002]).