

Product datasheet for TP301563L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

EIF2S2 (NM 003908) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human eukaryotic translation initiation factor 2, subunit 2 beta,

38kDa (EIF2S2), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC201563 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MSGDEMIFDPTMSKKKKKKKKKFFMLDEEGDTQTEETQPSETKEVEPEPTEDKDLEADEEDTRKKDASDDL DDLNFFNQKKKKKKKKKKKFDIDEAEEGVKDLKIESDVQEPTEPEDDLDIMLGNKKKKKKNVKFPDEDEIL EKDEALEDEDNKKDDGISFSNQTGPAWAGSERDYTYDELLNRVFNIMREKNPDMVAGEKRKFVMKPPQV

٧

RVGTKKTSFVNFTDICKLLHRQPKHLLAFLLAELGTSGSIDGNNQLVIKGRFQQKQIENVLRRYIKEYVT

CHTCRSPDTILQKDTRLYFLQCETCHSRCSVASIKTGFQAVTGKRAQLRAKAN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK
Predicted MW: 38.2 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 003899





Locus ID: 8894

 UniProt ID:
 P20042

 RefSeq Size:
 2592

Cytogenetics: 20q11.22

RefSeq ORF: 999


Synonyms: eIF-2-beta; EIF2; EIF2B; EIF2beta; PPP1R67

Summary: Eukaryotic translation initiation factor 2 (EIF-2) functions in the early steps of protein

synthesis by forming a ternary complex with GTP and initiator tRNA and binding to a 40S ribosomal subunit. EIF-2 is composed of three subunits, alpha, beta, and gamma, with the protein encoded by this gene representing the beta subunit. The beta subunit catalyzes the exchange of GDP for GTP, which recycles the EIF-2 complex for another round of initiation. Multiple transcript variants encoding different isoforms have been found for this gene.

[provided by RefSeq, Oct 2015]

Product images:



Coomassie blue staining of purified EIF2S2 protein (Cat# [TP301563]). The protein was produced from HEK293T cells transfected with EIF2S2 cDNA clone (Cat# [RC201563]) using MegaTran 2.0 (Cat# [TT210002]).