

Product datasheet for TP301657M

CDT1 (NM_030928) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human chromatin licensing and DNA replication factor 1 (CDT1), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC201657 representing NM_030928 Red=Cloning site Green=Tags(s)

MEQRRVTDFFARRRPGPPRIAPPKLACRTPSPARPALRAPASATSGSRKRARPPAAPGRDQARPPARRRL
RLSVDEVSSPSTPEAPDIPACPSPGQKIKKSTPAAGQPPHLTSAQDQDTISELASCLQRARELGARVRAL
KASAQDAGESCTPEAEGRPEEPCGEKAPAYQRFHALAQPLPGLVLPYKYQVLAEMFRSMDTIVGMLHNR
SETPTFAKVQRGVQDMMRRRFEERNVGVQIKTVYPASYRFRQERSVPTFKDGTTRSDYQLTIEPLLEQEAD
GAAPQLTASRLLQRRQIFSQKLVEHVKEHHKAFLASLSPAMVVPEDQLTRWHPRFNVDEVPDIEPAALPQ
PPATEKLTTAQEVLARARNLISPRMEKALSQALRSAAPSSPGSPRALPATPPATPPAASPSALKGVSQ
DLLERIRAKEAQKQLAQMTRCPEQEQLRQLRLPELARVLRVSVFVSERKPALSMEVACARMVGSCTTIM
SPGEMEKHLLLSSELLPDWLSLHRI RTDTYVKLDKAADLAHITARLAHQTRAEGL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Tag:	C-Myc/DDK
Predicted MW:	60.2 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_112190</u>
Locus ID:	81620
UniProt ID:	<u>Q9H211</u>
RefSeq Size:	2742
Cytogenetics:	16q24.3
RefSeq ORF:	1638
Synonyms:	DUP; RIS2
Summary:	The protein encoded by this gene is involved in the formation of the pre-replication complex that is necessary for DNA replication. The encoded protein can bind geminin, which prevents replication and may function to prevent this protein from initiating replication at inappropriate origins. Phosphorylation of this protein by cyclin A-dependent kinases results in degradation of the protein. [provided by RefSeq, Mar 2011]
Protein Families:	Stem cell - Pluripotency

Product images:



Coomassie blue staining of purified CDT1 protein (Cat# [TP301657]). The protein was produced from HEK293T cells transfected with CDT1 cDNA clone (Cat# [RC201657]) using MegaTran 2.0 (Cat# [TT210002]).