

Product datasheet for TP301745L

HDAC1 (NM_004964) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human histone deacetylase 1 (HDAC1), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC201745 representing NM_004964 Red=Cloning site Green=Tags(s)
	<p>MAQTQGTRRKVCYYYDGDVGNYYYYGQGHPMKPHRIRMTHNLLLNYGLYRKMEIYRPHKANAEEMTKYHSD DYIKFLRSIRPDNMSEYSKQMQRFNVEDCPVFDGLFEFCQLSTGGSVASAVKLNKQQTDIAVNWAGGLH HAKKSEASGFCYVNDIVLAILELLKYHQRVLYIDIDIHHDGVEEAFYTTDRVMTVSFHKYGEYFPGTGD LRDIGAGKGKYYAVNYPLRDGIDDESIEAIFKPVMSKVMEMFQPSAVVLQCGSDSLSGDRLGCFNLTIKG HAKCVEFVKSFNLPMLMLGGGGYTIRNVARCWYETAVALDTEIPNELPYNDYFEYFGPDFKLHISPSNM TNQNTNEYLEKIKQRLFENLRMLPHAPGVQMQAIPEDAIPESGDEDEDDEDPDKRISICSSDKRIACEEEF SDSEEEGEGGRKNSSNFKKAKRVKTEDEKEKDPEEKKEVTEEEKTKEEKPEAKGVKKEEVKLA</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	54.9 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_004955



[View online »](#)

Locus ID:	3065
UniProt ID:	Q13547 , Q6IT96
RefSeq Size:	2091
Cytogenetics:	1p35.2-p35.1
RefSeq ORF:	1446
Synonyms:	GON-10; HD1; KDAC1; RPD3; RPD3L1
Summary:	Histone acetylation and deacetylation, catalyzed by multisubunit complexes, play a key role in the regulation of eukaryotic gene expression. The protein encoded by this gene belongs to the histone deacetylase/acuc/apha family and is a component of the histone deacetylase complex. It also interacts with retinoblastoma tumor-suppressor protein and this complex is a key element in the control of cell proliferation and differentiation. Together with metastasis-associated protein-2, it deacetylates p53 and modulates its effect on cell growth and apoptosis. [provided by RefSeq, Jul 2008]
Protein Families:	Adult stem cells, Druggable Genome, Stem cell - Pluripotency, Stem cell relevant signaling - DSL/Notch pathway, Transcription Factors
Protein Pathways:	Cell cycle, Chronic myeloid leukemia, Huntington's disease, Notch signaling pathway, Pathways in cancer

Product images:



Coomassie blue staining of purified HDAC1 protein (Cat# [TP301745]). The protein was produced from HEK293T cells transfected with HDAC1 cDNA clone (Cat# [RC201745]) using MegaTran 2.0 (Cat# [TT210002]).