

Product datasheet for TP301820M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

SAE1 (NM_005500) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human SUMO1 activating enzyme subunit 1 (SAE1), transcript variant

1, 100 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC201820 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MVEKEEAGGGISEEEAAQYDRQIRLWGLEAQKRLRASRVLLVGLKGLGAEIAKNLILAGVKGLTMLDHEQ VTPEDPGAQFLIRTGSVGRNRAEASLERAQNLNPMVDVKVDTEDIEKKPESFFTQFDAVCLTCCSRDVIV KVDQICHKNSIKFFTGDVFGYHGYTFANLGEHEFVEEKTKVAKVSQGVEDGPDTKRAKLDSSETTMVKKK VVFCPVKEALEVDWSSEKAKAALKRTTSDYFLLQVLLKFRTDKGRDPSSDTYEEDSELLLQIRNDVLDSL GISPDLLPEDFVRYCFSEMAPVCAVVGGILAQEIVKALSQRDPPHNNFFFFDGMKGNGIVECLGPK

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Predicted MW: 38.3 kDa

Concentration: >0.1 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol Bioactivity: ELISA capture for autoantibodies (PMID: 28298642)

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005491





Locus ID: 10055

UniProt ID: Q9UBE0, A0A024R0R4

RefSeq Size: 2538

Cytogenetics: 19q13.32

RefSeq ORF: 1038

Synonyms: AOS1; HSPC140; SUA1; UBLE1A

Summary: Posttranslational modification of proteins by the addition of the small protein SUMO (see

SUMO1; MIM 601912), or sumoylation, regulates protein structure and intracellular localization. SAE1 and UBA2 (MIM 613295) form a heterodimer that functions as a SUMO-activating enzyme for the sumoylation of proteins (Okuma et al., 1999 [PubMed 9920803]).


[supplied by OMIM, Mar 2010]

Protein Pathways: Ubiquitin mediated proteolysis

Product images:

Features	Patient											
	1	2	3	4	5	6	7	8	9	10	11	12
Onset age	82	48	58	48	54	73	45	53	57	55	68	68
Age at diagnosis	82	48	58	48	55	73	45	67	57	55	68	69
Follow up time (months)	36	8	21	12	40	30	NA	8	21	NA	NA	2.5
Gender	F	M	F	M	F	F	F	F	F	F	F	M
Heliotrope sign	Y	Y	Y	Y	Y	Y	N	N	N	Y	Y	Y
V sign	N	Y	Y	N	Y	Y	N	N	N	Y	Y	N
Gottron's sign	Y	N	Y	Y	Y	N	Y	Y	Y	N	Y	Y
Shawl sign	Y	Y	Y	N	N	Y	Y	N	N	N	Y	N
Mechanic's hands	Y	N	N	N	N	Y	Y	Y	Y	N	N	Y
Diffuse skin rash	Y	Y	Y	Y	Y	N	N	Y	N	Y	Y	Y
Skin ulceration	Y	Y	Y	Y	Y	N	N	N	N	Y	Y	N
Muscular weakness	Y	Y	Y	Y	N	Y	Y	Y	N	N	N	Y
Myalgia	N	Y	N	N	N	Y	Y	Y	N	NA	N	Y
Arthralgia	Y	N	N	N	Y	N	N	Y	Y	NA	N	N
CK (IU/L)	650	1282	N	361	N	N	N	314	592	NA	N	25
Dysphagia	Y	Y	N	Y	N	Y	N	Y	N	NA	Y	Y
PAH	N	Y	NA	NA	N	N	NA	Y	N	NA	N	Y
ILD	N	Y	Y	Y	N	N	Y	Y	Y	NA	N	Y
Cancer	Y	N	N	N	N	N	N	Y	N	NA	N	N
MSAs	TIF1	N	PL-7	N	N	N	Jo-1	N	Jo-1	N	N	N
ESR (mm/h)	36	4	28	45	7	62	6	NA	60	NA	21	62
CRP (mg/dl)	7.39	1.01	3.36	0.17	0.22	NA	0.19	0.59	1.95	NA	0.15	2.4
Presentation	S	S	S	S/M	S	NA	NA	S/M	S/M	NA	S	S

Clinical features of dermatomyositis patients with anti-SAE antibodies. Specific binding of serum antibodies to recombinant SAE1 (OriGene [TP301820]) was analyzed using ELISA. Figure cited from Sci Rep, PMID: 28298642



Coomassie blue staining of purified SAE1 protein (Cat# [TP301820]). The protein was produced from HEK293T cells transfected with SAE1 cDNA clone (Cat# [RC201820]) using MegaTran 2.0 (Cat# [TT210002]).