

Product datasheet for **TP301830M**

Selenophosphate synthetase 2 (SEPHS2) (NM_012248) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Purified recombinant protein of Homo sapiens selenophosphate synthetase 2 (SEPHS2), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC201830 protein sequence Red =Cloning site Green =Tags(s)

MAEASATGACGEAMAAAEGSSGPAGLTLGRSFSNYRPFEPQALGLSPSWRLTGFSGMKG*GCKVPQEALL
KLLAGLTRPDVRPPLGRGLVGGQEEASQEAGLPAGAGPSPTFPALGIGMDSCVIPLRHGGLSLVQTDDFF
YPLVEDPYMMGRIACANVLSPLYAMGITECDNMLMLLSVSQSMSEEREKVTPLMVKGFRDAAEEGGTAV
TGGQTVVNPWIIIGGVATVVCQPNEFIMPDSAVVGDVVLTKPLGTQVAVNAHQWLDNPERWNKVKMVS
REEVELAYQEAMFNMATLNRTAAGLMHTFNAHAATDITGFGILGHSQNLAKQQRNEVSFVIHNLPIIAKM
AAVSKASGRFGLLQGTAETSGLLICLPREQAARFCSEIKSSKYGEGHQAWIVGIVEKGNRTARIIDKP
RVIEVLPRGATAAVLAPDSSNASSEPS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	47.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_036380</u>




[View online »](#)

Locus ID: 22928
UniProt ID: [Q99611](#)
RefSeq Size: 2351
Cytogenetics: 16p11.2
RefSeq ORF: 1344
Synonyms: SPS2

Summary: This gene encodes an enzyme that catalyzes the production of monoselenophosphate (MSP) from selenide and ATP. MSP is the selenium donor required for synthesis of selenocysteine (Sec), which is co-translationally incorporated into selenoproteins at in-frame UGA codons that normally signal translation termination. The 3' UTRs of selenoprotein mRNAs contain a conserved stem-loop structure, the Sec insertion sequence (SECIS) element, which is necessary for the recognition of UGA as a Sec codon rather than as a stop signal. This protein is itself a selenoprotein containing a Sec residue at its active site, suggesting the existence of an autoregulatory mechanism. It is preferentially expressed in tissues implicated in the synthesis of selenoproteins and in sites of blood cell development. A pseudogene for this locus has been identified on chromosome 5. [provided by RefSeq, May 2017]

Protein Pathways: Metabolic pathways, Selenoamino acid metabolism

Product images:



Coomassie blue staining of purified SEPHS2 protein (Cat# [TP301830]). The protein was produced from HEK293T cells transfected with SEPHS2 cDNA clone (Cat# [RC201830]) using MegaTran 2.0 (Cat# [TT210002]).