

# Product datasheet for TP301894M

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## HMG20A (NM\_018200) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human high-mobility group 20A (HMG20A), 100 μg

Species: Human Expression Host: HEK293T

**Expression cDNA Clone** >RC201894 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MENLMTSSTLPPLFADEDGSKESNDLATTGLNHPEVPYSSGATSSTNNPEFVEDLSQGQLLQSESSNAAE GNEQRHEDEQRSKRGGWSKGRKRKKPLRDSNAPKSPLTGYVRFMNERREQLRAKRPEVPFPEITRMLGNE WSKLPPEEKQRYLDEADRDKERYMKELEQYQKTEAYKVFSRKTQDRQKGKSHRQDAARQATHDHEKETEV KERSVFDIPIFTEEFLNHSKAREAELRQLRKSNMEFEERNAALQKHVESMRTAVEKLEVDVIQERSRNTV LQQHLETLRQVLTSSFASMPLPGSGETPTVDTIDSYMNRLHSIILANPQDNENFIATVREVVNRLDR

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

**Predicted MW:** 40 kDa

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 060670

**Locus ID:** 10363





### HMG20A (NM\_018200) Human Recombinant Protein - TP301894M

**UniProt ID: Q9NP66** 3898 RefSeq Size: Cytogenetics: 15q24.3 RefSeq ORF: 1041

Synonyms: HMGX1; HMGXB1

**Summary:** Plays a role in neuronal differentiation as chromatin-associated protein. Acts as inhibitor of

HMG20B. Overcomes the repressive effects of the neuronal silencer REST and induces the


activation of neuronal-specific genes. Involved in the recruitment of the histone

methyltransferase KMT2A/MLL1 and consequent increased methylation of histone H3 lysine 4

(By similarity).[UniProtKB/Swiss-Prot Function]

**Protein Families: Transcription Factors** 

# **Product images:**



Coomassie blue staining of purified HMG20A protein (Cat# [TP301894]). The protein was produced from HEK293T cells transfected with HMG20A cDNA clone (Cat# [RC201894]) using MegaTran 2.0 (Cat# [TT210002]).