

## Product datasheet for TP302023

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## AGR2 (NM 006408) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human anterior gradient homolog 2 (Xenopus laevis) (AGR2), 20 μg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC202023 representing NM\_006408

or AA Sequence: Red=Cloning site Green=Tags(s)

MEKIPVSAFLLLVALSYTLARDTTVKPGAKKDTKDSRPKLPQTLSRGWGDQLIWTQTYEEALYKSKTSNK PLMIIHHLDECPHSQALKKVFAENKEIQKLAEQFVLLNLVYETTDKHLSPDGQYVPRIMFVDPSLTVRAD

ITGRYSNRLYAYEPADTALLLDNMKKALKLLKTEL

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

**Predicted MW:** 19.8 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 006399

**Locus ID:** 10551

UniProt ID: <u>095994</u>, <u>Q4JM46</u>

RefSeq Size: 1701



Cytogenetics: 7p21.1

RefSeq ORF: 525

**Synonyms:** AG-2; AG2; GOB-4; HAG-2; HEL-S-116; HPC8; PDIA17; XAG-2

Summary: This gene encodes a member of the disulfide isomerase (PDI) family of endoplasmic reticulum

(ER) proteins that catalyze protein folding and thiol-disulfide interchange reactions. The encoded protein has an N-terminal ER-signal sequence, a catalytically active thioredoxin domain, and a C-terminal ER-retention sequence. This protein plays a role in cell migration, cellular transformation and metastasis and is as a p53 inhibitor. As an ER-localized molecular


chaperone, it plays a role in the folding, trafficking, and assembly of cysteine-rich

transmembrane receptors and the cysteine-rich intestinal gylcoprotein mucin. This gene has been implicated in inflammatory bowel disease and cancer progression. [provided by RefSeq,

Mar 2017]

**Protein Families:** Secreted Protein

## **Product images:**



Coomassie blue staining of purified AGR2 protein (Cat# TP302023). The protein was produced from HEK293T cells transfected with AGR2 cDNA clone (Cat# [RC202023]) using MegaTran 2.0 (Cat# [TT210002]).