

## **Product datasheet for TP302055L**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## TAF12 (NM 005644) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human TAF12 RNA polymerase II, TATA box binding protein (TBP)-

associated factor, 20kDa (TAF12), transcript variant 2, 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC202055 protein sequence

or AA Sequence: Red=Cloning site Green=Tags(s)

MNQFGPSALINLSNFSSIKPEPASTPPQGSMANSTAVVKIPGTPGAGGRLSPENNQVLTKKKLQDLVREV DPNEQLDEDVEEMLLQIADDFIESVVTAACQLARHRKSSTLEVKDVQLHLERQWNMWIPGFGSEEIRPYK

KACTTEAHKQRMALIRKTTKK

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

Predicted MW: 17.7 kDa

**Concentration:**  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 005635

**Locus ID:** 6883

UniProt ID: Q16514





RefSeq Size: 1129

Cytogenetics: 1p35.3 RefSeq ORF: 483

Synonyms: TAF2J; TAFII20


**Summary:** Control of transcription by RNA polymerase II involves the basal transcription machinery

which is a collection of proteins. These proteins with RNA polymerase II, assemble into complexes which are modulated by transactivator proteins that bind to cis-regulatory elements located adjacent to the transcription start site. Some modulators interact directly with the basal complex, whereas others may act as bridging proteins linking transactivators to the basal transcription factors. Some of these associated factors are weakly attached while others are tightly associated with TBP in the TFIID complex. Among the latter are the TAF proteins. Different TAFs are predicted to mediate the function of distinct transcriptional activators for a variety of gene promoters and RNA polymerases. TAF12 interacts directly with TBP as well as with TAF2I. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq, Sep 2008]

**Protein Families:** Transcription Factors

**Protein Pathways:** Basal transcription factors

## **Product images:**



Coomassie blue staining of purified TAF12 protein (Cat# [TP302055]). The protein was produced from HEK293T cells transfected with TAF12 cDNA clone (Cat# [RC202055]) using MegaTran 2.0 (Cat# [TT210002]).