

Product datasheet for **TP302207L**

PDK3 (NM_005391) Human Recombinant Protein

Product data:

| | |
|--|--|
| Product Type: | Recombinant Proteins |
| Description: | Recombinant protein of human pyruvate dehydrogenase kinase, isozyme 3 (PDK3), transcript variant 2, 1 mg |
| Species: | Human |
| Expression Host: | HEK293T |
| Expression cDNA Clone or AA Sequence: | >RC202207 protein sequence Red =Cloning site Green =Tags(s) |

MRLFRWLLKQVPVKQIERYSRFSPLSIKQFLDFGRDNACEKTSYMFLRKELPVRLANTMREVNLLPDN
LLNRPSVGLVQSWYMQSFLELLEYENKSPEDPQVLDFLQVLIKVRNRHNDVVPTMAQGVIEYKEKFGFD
PFISTNIQYFLDRFYTNRISFRMLINQHTLLFGGDTNPVHPKHIGSIDPTCNVADVVKDAYETAKMLCEQ
YYLVAPELEVEEFNAKAPDKPIQVVVPSHLFHMFLFELFKNSMRATVELYEDRKEGYPAVKTLVTLGKED
LSIKISDLGGGVPLRKIDRLFNYMYSTAPRPSLEPTRAAPLAGFGYGLPISRLYARYFQGDLLKLYSMEGV
GTDAVIYLKALSSEFERLPVFNKSAWRHYKTTPEADDWSNPSSEPRDASKYKAKQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

| | |
|-----------------------|--|
| Tag: | C-Myc/DDK |
| Predicted MW: | 46.8 kDa |
| Concentration: | >0.05 µg/µL as determined by microplate BCA method |
| Purity: | > 80% as determined by SDS-PAGE and Coomassie blue staining |
| Buffer: | 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol |
| Preparation: | Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps. |
| Note: | For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process. |
| Storage: | Store at -80°C. |
| Stability: | Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles. |
| RefSeq: | <u>NP_005382</u> |




[View online »](#)

Locus ID: 5165
UniProt ID: [Q15120](#)
RefSeq Size: 1803
Cytogenetics: Xp22.11
RefSeq ORF: 1218
Synonyms: CMTX6; GS1-358P8.4

Summary: The pyruvate dehydrogenase (PDH) complex is a nuclear-encoded mitochondrial multienzyme complex that catalyzes the overall conversion of pyruvate to acetyl-CoA and CO₂. It provides the primary link between glycolysis and the tricarboxylic acid (TCA) cycle, and thus is one of the major enzymes responsible for the regulation of glucose metabolism. The enzymatic activity of PDH is regulated by a phosphorylation/dephosphorylation cycle, and phosphorylation results in inactivation of PDH. The protein encoded by this gene is one of the three pyruvate dehydrogenase kinases that inhibits the PDH complex by phosphorylation of the E1 alpha subunit. This gene is predominantly expressed in the heart and skeletal muscles. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Mar 2010]

Protein Families: Druggable Genome, Protein Kinase

Product images:



Coomassie blue staining of purified PDK3 protein (Cat# [TP302207]). The protein was produced from HEK293T cells transfected with PDK3 cDNA clone (Cat# [RC202207]) using MegaTran 2.0 (Cat# [TT210002]).