

Product datasheet for **TP302459M**

Chemokine Receptor D6 (ACKR2) (NM_001296) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human chemokine binding protein 2 (CCBP2), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC202459 protein sequence Red =Cloning site Green =Tags(s)

MAATASPQPLATEDADSENSSFYYYDYLDVAFMLCRKDAVVSFGKVFLPVFYSLIFVLGLSGNLLLLLMV
LLRYVPRRRMVEIYLLNLAINLLFLVTLFPWGISVAWHWVFGSFLCKMVSTLYTINFYSGIFFISCM
DKYLEIVHAQPYHRLRTRAKSLLLATIVWAVSLAVSIPDMVVFVQTHENPKGVWNCHADFGGHGTIWKFL
RFQQNLLGFLPLLAMIFFYSRIGCVLVRPAGQGRALKIAAALVVAFFVLWFPYNLTLFHTLLDLQV
FGNCEVSQHLDYALQVTESIAFLHCCFSPILYAFSSHRFRQYLKAFLAAVLGWHLAPGTAQASLSSCES
SILTAQEEMTGMNDLGERQSENYPNKEDVGNKSA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	43.3 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	NP_001287
Locus ID:	1238




[View online »](#)

UniProt ID:	<u>O00590, A1LP82</u>
RefSeq Size:	2978
Cytogenetics:	3p22.1
RefSeq ORF:	1152
Synonyms:	CCBP2; CCR9; CCR10; CMKBR9; D6; hD6

Summary: This gene encodes a beta chemokine receptor, which is predicted to be a seven transmembrane protein similar to G protein-coupled receptors. Chemokines and their receptor-mediated signal transduction are critical for the recruitment of effector immune cells to the inflammation site. This gene is expressed in a range of tissues and hemopoietic cells. The expression of this receptor in lymphatic endothelial cells and overexpression in vascular tumors suggested its function in chemokine-driven recirculation of leukocytes and possible chemokine effects on the development and growth of vascular tumors. This receptor appears to bind the majority of beta-chemokine family members; however, its specific function remains unknown. This gene is mapped to chromosome 3p21.3, a region that includes a cluster of chemokine receptor genes. [provided by RefSeq, Jul 2008]

Protein Families: Druggable Genome, GPCR, Transmembrane

Product images:



Coomassie blue staining of purified ACKR2 protein (Cat# [TP302459]). The protein was produced from HEK293T cells transfected with ACKR2 cDNA clone (Cat# [RC202459]) using MegaTran 2.0 (Cat# [TT210002]).