

Product datasheet for **TP302499M**

PLK2 (NM_006622) Human Recombinant Protein

Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human polo-like kinase 2 (Drosophila) (PLK2), 100 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC202499 representing NM_006622 Red =Cloning site Green =Tags(s)

MELLRTITYQPAASTKMCEQALGKGCADSKKKRPPQPPEESQPPQSQAQVPPAAPHHHHHSHSGPEIS
RIIVDPTTGKRYCRGKVLGKGGFAKCYEMTDLTNNKVYAAKIIPHSRVAKPHQREKIDKEIELHRILHHK
HVWFYHYFEDKENIYILLEYCSRSMAHILKARKVLTEPEVRYLRQIVSGLKYLHEQEILHRDLKLG
FFINEAMELVGDFGLAARLEPLEHRRRTICGTPNYLSPEVLNKQGHGCESDIWALGCVMYTMLLGRPPF
ETTLNKETYRCIREARYTMPSSLLAPAKHLIASMLSKNPEDRPSLDDIIRHDFLQGFDPRLSSSCCHT
VPDFHLSSPAKNFFKAAAALFGGKKDKARYIDTHNRVSKEDEDIYKLRHDLKKTSTQPSKHRTDEEL
QPPTTTVARSGTPAVENKQIQGDAIRMIVRGTGSCSSSECLEDDSTMGSVADTVARVLRGCLENMPEAD
CIPKEQLSTSFQWVTKWVDYSNKYGFYQLSDHTVGVLFNNGAHMSLLPDKKTVHYAELGQCSVFPATD
APEQFISQVTVLKYFSHYMEENLMDGGDLPSVTDIRRPRLYLLQWLKSDKALMMLFNDGTFQVNFYHDHT
KIIICSQNEEYLLTYINEDRISTTFRLLTLLMSGCSSELKNRMEYALNMLLQRCN

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag:	C-Myc/DDK
Predicted MW:	78.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: [NP_006613](#)

Locus ID: 10769

UniProt ID: [Q9NYY3](#), [A0A024QZV1](#)

RefSeq Size: 2972

Cytogenetics: 5q11.2

RefSeq ORF: 2055

Synonyms: hPlk2; hSNK; SNK

Summary: The protein encoded by this gene is a member of the polo family of serine/threonine protein kinases that have a role in normal cell division. This gene is most abundantly expressed in testis, spleen and fetal tissues, and its expression is inducible by serum, suggesting that it may also play an important role in cells undergoing rapid cell division. Alternatively spliced transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2011]

Protein Families: Druggable Genome, Protein Kinase

Product images:



Coomassie blue staining of purified PLK2 protein (Cat# [TP302499]). The protein was produced from HEK293T cells transfected with PLK2 cDNA clone (Cat# [RC202499]) using MegaTran 2.0 (Cat# [TT210002]).