

Product datasheet for TP302508L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PAG608 (ZMAT3) (NM 022470) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human zinc finger, matrin type 3 (ZMAT3), transcript variant 1, 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA >RC202508 protein sequence Clone or AA Sequence: Red=Cloning site Green=Tags(s)

MILLQHAVLPPPKQPSPSPPMSVATRSTGTLQLPPQKPFGQEASLPLAGEEELSKGGEQDCALEELCKPL YCKLCNVTLNSAQQAQAHYQGKNHGKKLRNYYAANSCPPPARMSNVVEPAATPVVPVPPQMGSFKPGGRV ILATENDYCKLCDASFSSPAVAQAHYQGKNHAKRLRLAEAQSNSFSESSELGQRRARKEGNEFKMMPNRR NMYTVQNNSAGPYFNPRSRQRIPRDLAMCVTPSGQFYCSMCNVGAGEEMEFRQHLESKQHKSKVSEQRYR

NEMENLGYV

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 31.9 kDa

Concentration: >0.05 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by conventional

chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and handling

conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 071915

Locus ID: 64393





RefSeq ORF:

PAG608 (ZMAT3) (NM_022470) Human Recombinant Protein - TP302508L

UniProt ID: Q9HA38

RefSeq Size: 8995

Cytogenetics: 3q26.32

Synonyms: PAG608; WIG-1; WIG1

867

Summary: This gene encodes a protein containing three zinc finger domains and a nuclear localization


signal. The mRNA and the protein of this gene are upregulated by wildtype p53 and

overexpression of this gene inhibits tumor cell growth, suggesting that this gene may have a role in the p53-dependent growth regulatory pathway. Alternative splicing of this gene results in two transcript variants encoding two isoforms differing in only one amino acid. [provided by RefSeq,

Jul 2008]

Protein Families: Transcription Factors
Protein Pathways: p53 signaling pathway

Product images:



Coomassie blue staining of purified ZMAT3 protein (Cat# [TP302508]). The protein was produced from HEK293T cells transfected with ZMAT3 cDNA clone (Cat# [RC202508]) using MegaTran 2.0 (Cat# [TT210002]).