

Product datasheet for TP302607L

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

Malectin (MLEC) (NM_014730) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human malectin (MLEC), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC202607 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MLGAWAVEGTAVALLRLLLLLLPPAIRGPGLGVAGVAGAAGAGLPESVIWAVNAGGEAHVDVHGIHFRKD PLEGRVGRASDYGMKLPILRSNPEDQILYQTERYNEETFGYEVPIKEEGDYVLVLKFAEVYFAQSQQKVF DVRLNGHVVVKDLDIFDRVGHSTAHDEIIPMSIRKGKLSVQGEVSTFTGKLYIEFVKGYYDNPKVCALYI MAGTVDDVPKLQPHPGLEKKEEEEEEEEYDEGSNLKKQTNKNRVQSGPRTPNPYASDNSSLMFPILVAFG

VFIPTLFCLCRL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 32.1 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 055545

Locus ID: 9761



Malectin (MLEC) (NM_014730) Human Recombinant Protein - TP302607L

UniProt ID: Q14165

RefSeq Size: 6367

Cytogenetics: 12q24.31

RefSeq ORF: 876

Synonyms: KIAA0152


Summary: This gene encodes the carbohydrate-binding protein malectin which is a Type I membrane-

anchored endoplasmic reticulum protein. This protein has an affinity for Glc2Man9GlcNAc2 (G2M9) N-glycans and is involved in regulating glycosylation in the endoplasmic reticulum. This protein has also been shown to interact with ribophorin I and may be involved in the directing the degradation of misfolded proteins. Alternate splicing results in multiple

transcript variants. [provided by RefSeq, Jan 2015]

Protein Families: Transmembrane

Product images:



Coomassie blue staining of purified MLEC protein (Cat# [TP302607]). The protein was produced from HEK293T cells transfected with MLEC cDNA clone (Cat# [RC202607]) using MegaTran 2.0 (Cat# [TT210002]).