

# **Product datasheet for TP302617M**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## BAIAP2L1 (NM\_018842) Human Recombinant Protein

### **Product data:**

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human BAI1-associated protein 2-like 1 (BAIAP2L1), 100 μg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC202617 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MSRGPEEVNRLTESTYRNVMEQFNPGLRNLINLGKNYEKAVNAMILAGKAYYDGVAKIGEIATGSPVSTE LGHVLIEISSTHKKLNESLDENFKKFHKEIIHELEKKIELDVKYMNATLKRYQTEHKNKLESLEKSQAEL KKIRRKSQGSRNALKYEHKEIEYVETVTSRQSEIQKFIADGCKEALLEEKRRFCFLVDKHCGFANHIHYY HLQSAELLNSKLPRWQETCVDAIKVPEKIMNMIEEIKTPASTPVSGTPQASPMIERSNVVRKDYDTLSKC SPKMPPAPSGRAYTSPLIDMFNNPATAAPNSQRVNNSTGTSEDPSLQRSVSVATGLNMMKKQKVKTIFPH TAGSNKTLLSFAQGDVITLLIPEEKDGWLYGEHDVSKARGWFPSSYTKLLEENETEAVTVPTPSPTPVRS ISTVNLSENSSVVIPPPDYLECLSMGAAADRRADSARTTSTFKAPASKPETAAPNDANGTAKPPFLSGEN

**PFATVKLRPTVTNDRSAPIIR** 

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 56.7 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.





**RefSeq:** NP 061330

 Locus ID:
 55971

 UniProt ID:
 Q9UHR4

 RefSeq Size:
 3682

Cytogenetics: 7q21.3-q22.1

RefSeq ORF: 1533 Synonyms: IRTKS


Summary: This gene encodes a member of the IMD (IRSp53/MIM homology domain) family. Members of

this family can be subdivided in two groups, the IRSp53-like and MIM-like, based on the presence or absence of the SH3 (Src homology 3) domain. The protein encoded by this gene contains a conserved IMD, also known as F-actin bundling domain, at the N-terminus, and a canonical SH3 domain near the C-terminus, so it belongs to the IRSp53-like group. This protein is the substrate for insulin receptor tyrosine kinase and binds to the small GTPase Rac. It is involved in signal transduction pathways that link deformation of the plasma membrane and remodeling of the actin cytoskeleton. It also promotes actin assembly and membrane protrusions when overexpressed in mammalian cells, and is essential to the formation of a potent actin assembly complex during EHEC (Enterohemorrhagic Escherichia coli) pedestal

formation. [provided by RefSeq, Oct 2009]

**Protein Families:** Druggable Genome

### **Product images:**



Coomassie blue staining of purified BAIAP2L1 protein (Cat# [TP302617]). The protein was produced from HEK293T cells transfected with BAIAP2L1 cDNA clone (Cat# [RC202617]) using MegaTran 2.0 (Cat# [TT210002]).