

Product datasheet for TP302652L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Triosephosphate isomerase (TPI1) (NM_000365) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human triosephosphate isomerase 1 (TPI1), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC202652 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MAPSRKFFVGGNWKMNGRKQSLGELIGTLNAAKVPADTEVVCAPPTAYIDFARQKLDPKIAVAAQNCYKV TNGAFTGEISPGMIKDCGATWVVLGHSERRHVFGESDELIGQKVAHALAEGLGVIACIGEKLDEREAGIT EKVVFEQTKVIADNVKDWSKVVLAYEPVWAIGTGKTATPQQAQEVHEKLRGWLKSNVSDAVAQSTRIIYG

GSVTGATCKELASQPDVDGFLVGGASLKPEFVDIINAKQ

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 26.5 kDa

Concentration: >0.1 μg/μL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 000356

Locus ID: 7167

UniProt ID: P60174, Q53HE2, V9HWK1





RefSeq Size: 1366

Cytogenetics: 12p13.31

RefSeq ORF: 747

Synonyms: HEL-S-49; TIM; TPI; TPID

Summary: This gene encodes an enzyme, consisting of two identical proteins, which catalyzes the

isomerization of glyceraldehydes 3-phosphate (G3P) and dihydroxy-acetone phosphate (DHAP) in glycolysis and gluconeogenesis. Mutations in this gene are associated with


triosephosphate isomerase deficiency. Pseudogenes have been identified on chromosomes 1, 4, 6 and 7. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Apr

2009]

Protein Pathways: Fructose and mannose metabolism, Glycolysis / Gluconeogenesis, Inositol phosphate

metabolism, Metabolic pathways

Product images:



Coomassie blue staining of purified TPI1 protein (Cat# [TP302652]). The protein was produced from HEK293T cells transfected with TPI1 cDNA clone (Cat# [RC202652]) using MegaTran 2.0 (Cat# [TT210002]).