

Product datasheet for TP302689

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PREI3 (MOB4) (NM_199482) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Purified recombinant protein of Homo sapiens MOB1, Mps One Binder kinase activator-like 3

(yeast) (MOBKL3), transcript variant 2, 20 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC202689 representing NM_199482 or AA Sequence: Red=Cloning site Green=Tags(s)

MVMAEGTAVLRRNRPGTKAQDFYNWPDESFDEMDSTLAVQQYIQQNIRADCSNIDKILEPPEGQDEGV

WK

YEHLRQFCLELNGLAVKLQSECHPDTCTQMTATEQWIFLCAAHKTPKECPAIDYTRHTLDGAACLLNSNK YFPSRVSIKESSVAKLGSVCRRIYRIFSHAYFHHRQIFDEYENETFLCHRFTKFVMKYNLMSKDNLIVPI

LEEEVQNSVSGESEA

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 22.1 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 955776

Locus ID: 25843



PREI3 (MOB4) (NM_199482) Human Recombinant Protein - TP302689

UniProt ID: Q9Y3A3

RefSeq Size: 2698
Cytogenetics: 2q33.1
RefSeq ORF: 675


Synonyms: 2C4D; CGI-95; MOB1; MOB3; MOBKL3; PHOCN; PREI3

Summary: This gene was identified based on its similarity with the mouse counterpart. Studies of the

mouse counterpart suggest that the expression of this gene may be regulated during oocyte maturation and preimplantation following zygotic gene activation. Alternatively spliced transcript variants encoding distinct isoforms have been observed. Naturally occurring readthrough transcription occurs between this locus and the neighboring locus HSPE1.[provided

by RefSeq, Feb 2011]

Product images:



Coomassie blue staining of purified MOB4 protein (Cat# TP302689). The protein was produced from HEK293T cells transfected with MOB4 cDNA clone (Cat# [RC202689]) using MegaTran 2.0 (Cat# [TT210002]).