

## Product datasheet for TP302726M

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CLIC3 (NM 004669) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human chloride intracellular channel 3 (CLIC3), 100 μg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC202726 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MAETKLQLFVKASEDGESVGHCPSCQRLFMVLLLKGVPFTLTTVDTRRSPDVLKDFAPGSQLPILLYDSD AKTDTLQIEDFLEETLGPPDFPSLAPRYRESNTAGNDVFHKFSAFIKNPVPAQDEALYQQLLRALARLDS YLRAPLEHELAGEPQLRESRRFLDGDRLTLADCSLLPKLHIVDTVCAHFRQAPIPAELRGVRRYLDSAM

QEKEFKYTCPHSAEILAAYRPAVHPR

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK
Predicted MW: 26.5 kDa

**Concentration:** >0.05 μg/μL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

**RefSeq:** NP 004660

**Locus ID:** 9022

UniProt ID: 095833





RefSeq Size: 813

Cytogenetics: 9q34.3 RefSeq ORF: 708

Summary: Chloride channels are a diverse group of proteins that regulate fundamental cellular


> processes including stabilization of cell membrane potential, transepithelial transport, maintenance of intracellular pH, and regulation of cell volume. Chloride intracellular channel 3 is a member of the p64 family and is predominantly localized in the nucleus and stimulates chloride ion channel activity. In addition, this protein may participate in cellular growth

> control, based on its association with ERK7, a member of the MAP kinase family. [provided by

RefSeq, Jul 2008]

**Protein Families:** Druggable Genome, Ion Channels: Other

## **Product images:**



Coomassie blue staining of purified CLIC3 protein (Cat# [TP302726]). The protein was produced from HEK293T cells transfected with CLIC3 cDNA clone (Cat# [RC202726]) using MegaTran 2.0 (Cat# [TT210002]).