

# **Product datasheet for TP302846L**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

### PARP16 (NM\_017851) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human poly (ADP-ribose) polymerase family, member 16 (PARP16), 1

mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC202846 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MQPSGWAAAREAAGRDMLAADLRCSLFASALQSYKRDSVLRPFPASYARGDCKDFEALLADASKLPNLKE LLQSSGDNHKRAWDLVSWILSSKVLTIHSAGKAEFEKIQKLTGAPHTPVPAPDFLFEIEYFDPANAKFYE TKGERDLIYAFHGSRLENFHSIIHNGLHCHLNKTSLFGEGTYLTSDLSLALIYSPHGHGWQHSLLGPILS CVAVCEVIDHPDVKCQTKKKDSKEIDRRRARIKHSEGGDIPPKYFVVTNNQLLRVKYLLVYSQKPPKSRA

SSQLSWFSSHWFTVMISLYLLLLIVSVINSSAFQHFWNRAKR

**TRTRPL**EQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 36.3 kDa

Concentration: >0.05 µg/µL as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 060321

**Locus ID:** 54956



#### PARP16 (NM\_017851) Human Recombinant Protein - TP302846L

UniProt ID: Q8N5Y8

RefSeq Size: 2551

Cytogenetics: 15q22.31

RefSeq ORF: 969

**Synonyms:** ARTD15; C15orf30; pART15

**Summary:** Intracellular mono-ADP-ribosyltransferase that may play a role in different processes through


the mono-ADP-ribosylation of proteins involved in those processes (PubMed:23103912, PubMed:22701565, PubMed:25043379). May play a role in the unfolded protein response (UPR), by ADP-ribosylating and activating EIF2AK3 and ERN1, two important UPR effectors (PubMed:23103912). May also mediate mono-ADP-ribosylation of karyopherin KPNB1 a nuclear import factor (PubMed:22701565). May not modify proteins on arginine or cysteine

residues compared to other mono-ADP-ribosyltransferases (PubMed:22701565).

[UniProtKB/Swiss-Prot Function]

**Protein Families:** Transmembrane

## **Product images:**



Coomassie blue staining of purified PARP16 protein (Cat# [TP302846]). The protein was produced from HEK293T cells transfected with PARP16 cDNA clone (Cat# [RC202846]) using MegaTran 2.0 (Cat# [TT210002]).