

## **Product datasheet for TP303176L**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## MPZL (MPZL1) (NM\_003953) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Recombinant protein of human myelin protein zero-like 1 (MPZL1), transcript variant 1, 1 mg

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC203176 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MAASAGAGAVIAAPDSRRWLWSVLAAALGLLTAGVSALEVYTPKEIFVANGTQGKLTCKFKSTSTTGGLT SVSWSFQPEGADTTVSFFHYSQGQVYLGNYPPFKDRISWAGDLDKKDASINIENMQFIHNGTYICDVKNP PDIVVQPGHIRLYVVEKENLPVFPVWVVVGIVTAVVLGLTLLISMILAVLYRRKNSKRDYTGCSTSESLS

PVKQAPRKSPSDTEGLVKSLPSGSHQGPVIYAQLDHSGGHHSDKINKSESVVYADIRKN

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

Predicted MW: 28.9 kDa

**Concentration:**  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 003944

**Locus ID:** 9019

**UniProt ID:** 095297, A8K5D4





RefSeq Size: 5026

Cytogenetics: 1q24.2 RefSeq ORF: 807

**Synonyms:** MPZL1b; PZR; PZR1b; PZRa; PZRb

Summary: Cell surface receptor, which is involved in signal transduction processes. Recruits PTPN11/SHP-

2 to the cell membrane and is a putative substrate of PTPN11/SHP-2. Is a major receptor for concanavalin-A (ConA) and is involved in cellular signaling induced by ConA, which probably includes Src family tyrosine-protein kinases. Isoform 3 seems to have a dominant negative role; it blocks tyrosine phosphorylation of MPZL1 induced by ConA. Isoform 1, but not isoform


2 and isoform 3, may be involved in regulation of integrin-mediated cell motility.

[UniProtKB/Swiss-Prot Function]

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Cell adhesion molecules (CAMs)

## **Product images:**



Coomassie blue staining of purified MPZL1 protein (Cat# [TP303176]). The protein was produced from HEK293T cells transfected with MPZL1 cDNA clone (Cat# [RC203176]) using MegaTran 2.0 (Cat# [TT210002]).