

## **Product datasheet for TP303255M**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## Calprotectin (S100A8) (NM\_002964) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Purified recombinant protein of Homo sapiens S100 calcium binding protein A8 (S100A8), 100

με

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC203255 representing NM\_002964

or AA Sequence: Red=Cloning site Green=Tags(s)

MLTELEKALNSIIDVYHKYSLIKGNFHAVYRDDLKKLLETECPQYIRKKGADVWFKELDINTDGAVNFQE

FLILVIKMGVAAHKKSHEESHKE

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

**Predicted MW:** 10.7 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 002955

 Locus ID:
 6279

 UniProt ID:
 P05109

RefSeq Size: 532



Cytogenetics: 1q21.3

RefSeq ORF: 279


Synonyms: 60B8AG; CAGA; CFAG; CGLA; CP-10; L1Ag; MA387; MIF; MRP8; NIF; P8

**Summary:** The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-

hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein may function in the inhibition of casein kinase and as a cytokine. Altered expression of this protein is associated with the disease cystic fibrosis. Multiple transcript variants encoding different isoforms have been

found for this gene. [provided by RefSeq, Jan 2016]

## **Product images:**



Coomassie blue staining of purified S100A8 protein (Cat# [TP303255]). The protein was produced from HEK293T cells transfected with S100A8 cDNA clone (Cat# [RC203255]) using MegaTran 2.0 (Cat# [TT210002]).