

Product datasheet for **TP303435**

HIP55 (DBNL) (NM_014063) Human Recombinant Protein

Product data:


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human drebrin-like (DBNL), transcript variant 1, 20 µg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC203435 protein sequence Red =Cloning site Green =Tags(s)
	<p>MAANLSRNGPALQEAYVRVTEKSPTDWALFTYEGNSNDIRVAGTGEGGLEEMVEELNSGKVMYAFCRV K DPNSGLPKFVLINWTGEGVNDVRKGACASHVSTMASFLKGAVHTINARAEEDVEPECIMEKVAKASGANY SFHKESGRFQDVGPQAPVGSVYQKTNAVSEIKRVGKDSFWAKAEKEEENRRLEEKRRAEAAQRQLEQERR ERELREAAARREQRYQEQQGEASPSRTWEQQQEVVSRNRNEQESAVHPREIFKQKERAMSTTSISSPQPG KLRSPFLQKQLTQPETHFGREPAAASRPRADLPAEEPAPSTPPCLVQAEAAVYEEPPPEQETFYEQPPL VQQQGAGSEHIDHHIQGQGLSGQGLCARALYDYQAADDTEISFDPENLITGIEVIDEGWWRGYGPDGHF G MFPANYVELIE</p> <p>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</p>
Tag:	C-Myc/DDK
Predicted MW:	48.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.



[View online »](#)

Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP_054782</u>
Locus ID:	28988
UniProt ID:	<u>Q9UJU6</u>
RefSeq Size:	2213
Cytogenetics:	7p13
RefSeq ORF:	1293
Synonyms:	ABP1; HIP-55; HIP55; SH3P7
Summary:	Adapter protein that binds F-actin and DNM1, and thereby plays a role in receptor-mediated endocytosis. Plays a role in the reorganization of the actin cytoskeleton, formation of cell projections, such as neurites, in neuron morphogenesis and synapse formation via its interaction with WASL and COBL. Does not bind G-actin and promote actin polymerization by itself. Required for the formation of organized podosome rosettes (By similarity). May act as a common effector of antigen receptor-signaling pathways in leukocytes. Acts as a key component of the immunological synapse that regulates T-cell activation by bridging TCRs and the actin cytoskeleton to gene activation and endocytic processes.[UniProtKB/Swiss-Prot Function]

Product images:



Coomassie blue staining of purified DBNL protein (Cat# TP303435). The protein was produced from HEK293T cells transfected with DBNL cDNA clone (Cat# [RC203435]) using MegaTran 2.0 (Cat# [TT210002]).