

## Product datasheet for **TP303811L**

### HLA DMB (HLA-DMB) (NM\_002118) Human Recombinant Protein


#### Product data:

Product Type:	Recombinant Proteins
Description:	Recombinant protein of human major histocompatibility complex, class II, DM beta (HLA-DMB), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC203811 protein sequence <b>Red</b> =Cloning site <b>Green</b> =Tags(s)  MITFLPLLGLSLGCTGAGGFVAHVSTCLDDAGTPKDFTYCISFNKDLLTCWDPEENKMAPCEFGVLN SLANVLSQHLNQKDTLMQRLRNGLQNCATHTQPFWGSLTNRTRPPSVQVAKTTPFNTREPVMLACYVW GF YPAEVTITWRKNGKLVMPHSSAHKTAQPNGDWTYQTLSHLALTPSYGDTYTCVVEHIGAPEPILRDWTPG LSPMQTLKVSVSAVTLGLGLIIFSLGVISWRRAGHSSYTPLPGSNYSEGWHIS  <b>TRTRPLEQKLISEEDLAANDILDYKDDDDKV</b>
Tag:	C-Myc/DDK
Predicted MW:	27.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u><a href="#">NP_002109</a></u>
Locus ID:	3109


[View online »](#)

UniProt ID:	<u>P28068</u>
RefSeq Size:	1412
Cytogenetics:	6p21.32
RefSeq ORF:	789
Synonyms:	D6S221E; RING7
Summary:	HLA-DMB belongs to the HLA class II beta chain paralogues. This class II molecule is a heterodimer consisting of an alpha (DMA) and a beta (DMB) chain, both anchored in the membrane. It is located in intracellular vesicles. DM plays a central role in the peptide loading of MHC class II molecules by helping to release the CLIP (class II-associated invariant chain peptide) molecule from the peptide binding site. Class II molecules are expressed in antigen presenting cells (APC: B lymphocytes, dendritic cells, macrophages). The beta chain is approximately 26-28 kDa and its gene contains 6 exons. Exon one encodes the leader peptide, exons 2 and 3 encode the two extracellular domains, exon 4 encodes the transmembrane domain and exon 5 encodes the cytoplasmic tail. [provided by RefSeq, Jul 2008]
Protein Families:	Transmembrane
Protein Pathways:	Allograft rejection, Antigen processing and presentation, Asthma, Autoimmune thyroid disease, Cell adhesion molecules (CAMs), Graft-versus-host disease, Systemic lupus erythematosus, Type I diabetes mellitus, Viral myocarditis

### Product images:



Coomassie blue staining of purified HLA-DMB protein (Cat# [TP303811]). The protein was produced from HEK293T cells transfected with HLA-DMB cDNA clone (Cat# [RC203811]) using MegaTran 2.0 (Cat# [TT210002]).