

Product datasheet for TP303919L

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

DPM2 (NM_003863) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human dolichyl-phosphate mannosyltransferase polypeptide 2,

regulatory subunit (DPM2), 1 mg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC203919 protein sequence

or AA Sequence: Red=Cloning site Green=Tags(s)

MATGTDQVVGLGLVAVSLIIFTYYTAWVILLPFIDSQHVIHKYFLPRAYAVAIPLAAGLLLLLFVGLFIS

YVMLKSKRVTKKAQ

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Tag: C-Myc/DDK

Predicted MW: 9.1 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 003854

 Locus ID:
 8818

 UniProt ID:
 094777

 RefSeq Size:
 1561



Cytogenetics:

9q34.11

RefSeq ORF:

252

Synonyms:

CDG1U

Summary:

Dolichol-phosphate mannose (Dol-P-Man) serves as a donor of mannosyl residues on the lumenal side of the endoplasmic reticulum (ER). Lack of Dol-P-Man results in defective surface expression of GPI-anchored proteins. Dol-P-Man is synthesized from GDP-mannose and dolichol-phosphate on the cytosolic side of the ER by the enzyme dolichyl-phosphate mannosyltransferase. The protein encoded by this gene is a hydrophobic protein that contains 2 predicted transmembrane domains and a putative ER localization signal near the C terminus. This protein associates with DPM1 in vivo and is required for the ER localization and stable expression of DPM1 and also enhances the binding of dolichol-phosphate to DPM1. [provided by RefSeq, Jul 2008]

Protein Families:


Transmembrane

Protein Pathways:

Glycosylphosphatidylinositol(GPI)-anchor biosynthesis, Metabolic pathways, N-Glycan

biosynthesis

Product images:



Coomassie blue staining of purified DPM2 protein (Cat# [TP303919]). The protein was produced from HEK293T cells transfected with DPM2 cDNA clone (Cat# [RC203919]) using MegaTran 2.0 (Cat# [TT210002]).