

## **Product datasheet for TP304056**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## CD99 (NM\_002414) Human Recombinant Protein

**Product data:** 

**Product Type:** Recombinant Proteins

**Description:** Purified recombinant protein of Homo sapiens CD99 molecule (CD99), transcript variant 1, 20

με

Species: Human
Expression Host: HEK293T

**Expression cDNA Clone** >RC204056 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MARGAALALLLFGLLGVLVAAPDGGFDLSDALPDNENKKPTAIPKKPSAGDDFDLGDAVVDGENDDPRP

Ρ

NPPKPMPNPNHPSSSGSFSDADLADGVSGGEGKGGSDGGGSHRKEGEEADAPGVIPGIVGAVVVAVA

G

AISSFIAYQKKKLCFKENAEQGEVDMESHRNANAEPAVQRTLLEK

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV** 

Tag: C-Myc/DDK

Predicted MW: 16.7 kDa

Concentration:  $>0.05 \mu g/\mu L$  as determined by microplate BCA method

**Purity:** > 80% as determined by SDS-PAGE and Coomassie blue staining

**Buffer:** 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

**Preparation:** Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

**Note:** For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

**Stability:** Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeg: NP 002405

**Locus ID:** 4267





UniProt ID: P14209

RefSeq Size: 1255
Cytogenetics: X;Y
RefSeq ORF: 555

Synonyms: HBA71; MIC2; MIC2X; MIC2Y; MSK5X

**Summary:** The protein encoded by this gene is a cell surface glycoprotein involved in leukocyte


migration, T-cell adhesion, ganglioside GM1 and transmembrane protein transport, and T-cell death by a caspase-independent pathway. In addition, the encoded protein may have the ability to rearrange the actin cytoskeleton and may also act as an oncosuppressor in osteosarcoma. This gene is found in the pseudoautosomal region of chromosomes X and Y and escapes X-chromosome inactivation. There is a related pseudogene located immediately

adjacent to this locus. [provided by RefSeq, Mar 2016]

**Protein Families:** Druggable Genome, Transmembrane

**Protein Pathways:** Cell adhesion molecules (CAMs), Leukocyte transendothelial migration

## **Product images:**



Coomassie blue staining of purified CD99 protein (Cat# TP304056). The protein was produced from HEK293T cells transfected with CD99 cDNA clone (Cat# [RC204056]) using MegaTran 2.0 (Cat# [TT210002]).