

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Product datasheet for TP304102L

### POLR3K (NM\_016310) Human Recombinant Protein

#### **Product data:**


Product Type:	Recombinant Proteins
Description:	Recombinant protein of human polymerase (RNA) III (DNA directed) polypeptide K, 12.3 kDa (POLR3K), 1 mg
Species:	Human
Expression Host:	HEK293T
Expression cDNA Clone or AA Sequence:	>RC204102 protein sequence <mark>Red</mark> =Cloning site Green=Tags(s)
	MLLFCPGCGNGLIVEEGQRCHRFACNTCPYVHNITRKVTNRKYPKLKEVDDVLGGAAAWENVDSTAESCP KCEHPRAYFMQLQTRSADEPMTTFYKCCNAQCGHRWRD
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Tag:	C-Myc/DDK
Predicted MW:	12.1 kDa
Concentration:	>0.05 µg/µL as determined by microplate BCA method
Purity:	> 80% as determined by SDS-PAGE and Coomassie blue staining
Buffer:	25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol
Preparation:	Recombinant protein was captured through anti-DDK affinity column followed by conventional chromatography steps.
Note:	For testing in cell culture applications, please filter before use. Note that you may experience some loss of protein during the filtration process.
Storage:	Store at -80°C.
Stability:	Stable for 12 months from the date of receipt of the product under proper storage and handling conditions. Avoid repeated freeze-thaw cycles.
RefSeq:	<u>NP 057394</u>
Locus ID:	51728
UniProt ID:	<u>Q9Y2Y1</u>
RefSeq Size:	834



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	POLR3K (NM_016310) Human Recombinant Protein – TP304102L
Cytogenetics:	16p13.3
RefSeq ORF:	324
Synonyms:	C11; C11-RNP3; HLD21; My010; RPC10; RPC11; RPC12.5
Summary:	This gene encodes a small essential subunit of RNA polymerase III, the polymerase responsible for synthesizing transfer and small ribosomal RNAs in eukaryotes. The carboxy- terminal domain of this subunit shares a high degree of sequence similarity to the carboxy- terminal domain of an RNA polymerase II elongation factor. This similarity in sequence is supported by functional studies showing that this subunit is required for proper pausing and termination during transcription. Pseudogenes of this gene are found on chromosomes 13 and 17.[provided by RefSeq, Jul 2010]
Protein Families:	Transcription Factors
Protein Pathways	Cytosolic DNA-sensing pathway, Metabolic pathways, Purine metabolism, Pyrimidine metabolism, RNA polymerase

## **Product images:**



Coomassie blue staining of purified POLR3K protein (Cat# [TP304102]). The protein was produced from HEK293T cells transfected with POLR3K cDNA clone (Cat# [RC204102]) using MegaTran 2.0 (Cat# [TT210002]).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US