

Product datasheet for TP304102M

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

POLR3K (NM_016310) Human Recombinant Protein

Product data:

Product Type: Recombinant Proteins

Description: Recombinant protein of human polymerase (RNA) III (DNA directed) polypeptide K, 12.3 kDa

(POLR3K), 100 µg

Species: Human
Expression Host: HEK293T

Expression cDNA Clone >RC204102 protein sequence or AA Sequence: Red=Cloning site Green=Tags(s)

MLLFCPGCGNGLIVEEGQRCHRFACNTCPYVHNITRKVTNRKYPKLKEVDDVLGGAAAWENVDSTAESCP

KCEHPRAYFMQLQTRSADEPMTTFYKCCNAQCGHRWRD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Tag: C-Myc/DDK

Predicted MW: 12.1 kDa

Concentration: $>0.05 \mu g/\mu L$ as determined by microplate BCA method

Purity: > 80% as determined by SDS-PAGE and Coomassie blue staining

Buffer: 25 mM Tris-HCl, 100 mM glycine, pH 7.3, 10% glycerol

Preparation: Recombinant protein was captured through anti-DDK affinity column followed by

conventional chromatography steps.

Note: For testing in cell culture applications, please filter before use. Note that you may experience

some loss of protein during the filtration process.

Storage: Store at -80°C.

Stability: Stable for 12 months from the date of receipt of the product under proper storage and

handling conditions. Avoid repeated freeze-thaw cycles.

RefSeq: NP 057394

 Locus ID:
 51728

 UniProt ID:
 Q9Y2Y1

 RefSeq Size:
 834



POLR3K (NM_016310) Human Recombinant Protein - TP304102M

Cytogenetics: 16p13.3

RefSeq ORF: 324

Synonyms: C11; C11-RNP3; HLD21; My010; RPC10; RPC11; RPC12.5

Summary: This gene encodes a small essential subunit of RNA polymerase III, the polymerase

responsible for synthesizing transfer and small ribosomal RNAs in eukaryotes. The carboxy-terminal domain of this subunit shares a high degree of sequence similarity to the carboxy-terminal domain of an RNA polymerase II elongation factor. This similarity in sequence is supported by functional studies showing that this subunit is required for proper pausing and termination during transcription. Pseudogenes of this gene are found on chromosomes 13


and 17.[provided by RefSeq, Jul 2010]

Protein Families: Transcription Factors

Protein Pathways: Cytosolic DNA-sensing pathway, Metabolic pathways, Purine metabolism, Pyrimidine

metabolism, RNA polymerase

Product images:



Coomassie blue staining of purified POLR3K protein (Cat# [TP304102]). The protein was produced from HEK293T cells transfected with POLR3K cDNA clone (Cat# [RC204102]) using MegaTran 2.0 (Cat# [TT210002]).